SPECIA	L PARTS LIST FOR MODEL	CCXX-MS		• s
	FOR STANDARD PARTS REI	FER TO CATALOG	927-0255	XEY NO.
PART NO	OTY DESCRIPTION	PART NO.	CTY.	DESCRIPTION
Group - 20 Group - 27	det out			
110-1418	1 Stock Assembly, Cylinde	I a		

Housing, Rlower Cable, Chicke

Tube, Breather Base, Air Cleaner

Marifold, in ake

134-3220

153-128

140-1548

SPECIAL PARTS LIST FOR MODEL ______

SPEC ______

KEY NO

DESCRIPTION

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO BELOW WHEN USED.

PART NO	OTY	DESCRIPTION
Group - 1 Group - 20		High Profile Breaker Sox Basoline Carb. Adj. Jet
Group - 2"		Nariable Speed Control
110-1118	<u> </u>	Block tasembly, Cylinder
104-0883		《Danasan · 宋朝·宋朝·宋朝·宋朝·宋
510-0015	10	Raffe Fly - Josephor
102-0301	1	Base, 111
503-0744	1	Lime, Fuel Pamp to Carb
123-0506	1	Cap & Indicator
123-0508	1	Tube. Dil Fill
154-0802	Į.	Manifold, Intake
505-0008	1	Plug, Intake Manifold
153-0351		Choke, Manual
_140-1348		Base, hir Cleaner
123-1284	1	Hose. Sreather
503-0189		Hamp, dicaser to Carb
515-0006		Ker, Stab Shaft
870-0110		Not. Slower Housing

318(2.7

FOR STANDARD PARTS REFER TO CATALOG 927-9253

PART NO.	OTY.	DESCRIPTION	PART NO	OTY.	DESCRIPTION
And the state of t	erryttisk destamministe	High Profile Breskér Bes	er og enter tim avent ment side elembanik vilk-rimm sell ser	e e e e e e e e e e e e e e e e e e e	And the second s
			= Parts :		ed by Cran.
				Starter	•
110-1184		Block Assembly, Sylunder		Fuel Pum	r)
HA that		TOWNERS THERE IN THE SAME THAT	:	Manual C	
 Significant street 		Company of the fit			स्त्री क्षेत्र
7 Trans 1 Trans.		Sitting American Master		l'I y matter en l	
. Eldeintis		- 職業計算。さまマレーシーでのAII - File			
		្ស៊ីត្រូវស្តែ លុកថ្មី ស៊ីស្គ			
The state of the s		Ming Sot, Biston			metor listed in Drow
1 1 1 1 1 1 1 1 1 1 1 1		- भूकिक्का, हेम्हाक्ति	6.8	cept parts	TENERAL PROPERTY AND A
111-111-111-11		Botocap, Valve Spring Retainer	•		
$\label{eq:continuous_problem} \mathcal{L}_{\mathrm{cont}} = \sum_{a} m_{a} = \frac{1}{2} \frac{1}{16} \frac{1}{a} \frac{1}{a} \frac{1}{a} \frac{1}{a}.$		Base, III	* ·		
Jacobson C. C. C.		Plus, 3:1 Prain			
[4] (- 1] [] J		Studenti Base Maunting	•		
10110000		Note that Base Mounting			
1 + 1 - 1 2 1		Gear Objer Assembly Complete			
the state of the state of		Bearing, Needle-Lower .			· <u>+</u>
		The Real Coverage Starts			
	,	Shaft and Arm Assemble, the			
		California de	,		5
516-3114		Sing, Granner hele Retaining			
517-0119		Braning, Ball-loan Cover			
509-0013		Seal, Cil-Gear dover			
150-0159		Bracket, Tovernof Spring			
123-1346		Cap and Indicator, dil Fill	•		
123-1528		Tube. COL BIII	5	2.	
5 93-9761		imse. Breather			
503-0765		Clamp. Broathor Hose			
170 - 2.205	1 -	Box Assembly, Breaker complete			,
1 CALL - (1 CA N 2)		Point Set			
		Adapter=0.1 Pressure			
1111 11155		lee-11 Freesure			
3 - 22 - 10 - 10 - 4		Switch, Dil Pressure		,	
		mousing, Blower			
5.18 - (10.11)		Frommet, Blower Housing			
517-9112		Flug. Flastic-Blower Housing			*
334-40128		Lead-Blower Housing-4' of Wire			
1411-0281		rCarburstor		,	
134-073]		Housing, Cylinder Nir-L.H.		,	
134-0588		Bousing, Cylinder Air-R.H.			
313-9006		Key-Stub Shaft			
515-0094		Key-Flywheel			
10000454		in. Oil Pump Intake:			

142-0589 1 =Kit, Repair 142-0192 1 =Shaft, Choke

142-0459 | 1 #Valve and Seat Assembly

142-0289 1 *Nozzle Assembly

142-0588 1 *Nut and Jet, Nozzle

FOR STANDARD PARTS REFER TO CATALOG 323 0355 KEY OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO BELOW WHEN USED

PART NO) QTY	DESCRIPTION	PART NO OTY DESCRIPTION
TELLS	ed management of the equal to define the equal to the equ	tigh Profile Straker Max	
ALA MARKE		新金製 1 では Mark 1 金板 1 State 1 A Sta	
- Annual Control of the Control of t	la de la companya de La companya de la co	•	
110-118	1 11	.Rippk despendant Calindar	Barrs ២៩ និយាលមិនិយៈ ប៊ីប្រាប់ ស
110-100		Tekent, Insulate Value Bolis	
104-066		राक्रासक के तरे जा कि	A SECTION OF THE P.
134-059		Climodearing Plate	Manual docks
510-001		Hall, This clovernor	रिक्षिण स्टेश कुरावे.
112-007		Fister and Fin	Capture to Follow Control of the Article
113-0089		Sing Set, Fiston . 7	
110-103		Valve, intake	
110-089		Washer, Maive Spring Retainer	
120-0439	Ţ :	Sup. Sia Kumo intako	
102-082	1	Base, hi	
505-024	en e I en	Flug. Onl Brain	
520-0119	9 , 4	Stud. Di Base Mounting o	
104-009		Nut-Oil Base Mounting	
103-028	~ i	lear slover Assembly:	
н	•	Sampa Last es	
510-000	8 1	Bouring. Needle inter	
150-0626	()	Yoke, Governor Shaft	
150-037	·	Shaft and Arm Assembly.	
T.		Governor	
518-012	9	Ring, dovernor toke Retain-	
		: 竹葉	
510-001	g I	Bearing, Ball-Gear Cover	
509-001.	3 1	Seal, Ori-Gear Cover,	•
150-015		Bracket, Governor Spring	
125-154		Cap and Indicator, Oil Fill	
125-152		Tube, Oil Fill	P.
503-076		Hose. Breather	
505-076		Clamp, Breather Hose	
160-120	Top .	Box issembly, Breaker-	
		Complete	
160-063		Paint Set	<u></u>
502-005		Tee-Oil Pressure	
309-006	**	Switch, Oil Pressure	, w
502-017		Adapter-Oil Pressure	
134-174		Housing, Blower	
508-000		Grommet, Blower Housing	
517-011	2 1	Plug, Plastic-Blower Hous-	
man and a second second	J15	ing	*
334-002	8	Lead-Blower Housing-4' of	
1 445 2572	1 1	wire Tube, Carburetor Gas Inlet	
148-036		Housing, Cylinder Air-L.H.	
134-073		Housing, Cylinder Air-L.H. Housing, Cylinder Air-R.H.	**************************************
134-058		Key-Stub Shaft	
515-000		Key-Flywheel	
515-009	4		·
1 - 1	•	es plante de la companya de la comp	

SPECIAL PARTS LIST FOR MODEL DUK-MS FOR STANDARD PARTS REFER TO CATALOG 921-0253 OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED

PART NO

OTY.

DESCRIPTION

्रिक्षा क्षेत्र होता है। जा । जो पूर्व क्षेत्र होता है।	Subs.	Assoc Choke
		· 克雷·克克·克克·克克·克克·克克·克克·克克·克克·克克·克克·克克·克克·克
1111111111	÷,	ARREST CONTRACTOR
$\frac{1}{100} \frac{1}{1} \cdot \frac{1}{10} \cdot \frac{1}{100} \cdot \frac{1}{100}$	· · · · · · · · · · · · · · · · · · ·	- Lampo dingulations - dower Aim Lightness coud
Principal in the second	1	Awitab. Oak Prossure
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	· ·	- Land-log of Blower Housing
- 154-05(ca)	19 40	Carrent Marther
		White Company of the company
3,5m - 2,3%,7	1	Conditions
		Street, Air Reader Hose
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1	The state of the part of a contract of
وأمة المصاركات	1	nlet. Troparator Nor

DESCRIPTION

Paper Hamps Allmoducanes

PART. NO

OTY

SPEC

FOR STANDARD PARTS REFER TO CATALOG PET-0715

KEY NO.

DESCRIPTION

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO BELOW WHEN USED.

Stroup - 29 3)3:1 Sear Sminartion, 22 104-0963 Transshaft 100-420-8 Jamobalet

PART NO.

Parts not furnished his course Spark Advance and Associated Parts

900-0043 Supplementary Parts List

M	odel_	CCKA-I	/IS	S	pec	319	7,

Standard Parts Catalog 927-0253 Parts Key 4

	PART NO.	QUAN.	DESCRIPTION
- 1/	THIS MODEL HAS V	ACU FLO d	OOLING
	110-1885	1.	Block Assembly, Cylinder (Includes Bearings, Guides
			and Seats)
	104-0872	1 1	Crankshaft
	110-1037	2	Valve, Intake
	110-0904	2	Rotocap, Intake Valve
	509-0090	2	Seal, Valve Stem Oil
<u>-</u>	102 - 075 6 —	1	Base, 0il
	12 0-0648	1	Intake, Oil Pamp (Includes Cup, Screen and Pipe)
	OIL FILTER AND A	1	PARTS SHOWN AS OPTIONAL EQUIPMENT IN
1	MAÍN PARTS CATAL	d G	
	510-0015	5.	Ball, Fly
	105-0238	1. 1	Camshaft
	123-0694	1	Cap and Indicator, Oil Fill
	123-1149	1"	Tube, Oil Fill
1 .:	123-0129	1	Tube, Breather
· :	134-32,73	1	Housing, Blower
·	1342760	.] 1	Housing, Cylinder Air - Right Hand
1	149-0136	1 .	Cover, Fuel Pump Hole
	154-0356	1	Manifold, Intake
	142-0431 ,	1	Carburetor (See Chart in Main Parts Catalog
1.			for Complete Listing of Components)
j .	134-2956	1	Guard, Scroll Outlet
1	517-0021	1 .	-Button, Dot + Blower Housing
*	517-0035	1	Button, Dot - Blower Housing and Scroll
	134-0753	1 - 1	Wheel, Blower
t.	123-0293		Cup, Breather Tube
	145-0322	1	Inlet, Carburetor Air
	140-0211	T	Tube, Air Cleaner Hose
	123-0104	1	Valve, Breather Cap
	503-0107	1	Clamp, Hose
	150-1214	1	Spring, Governor
	166-0628	1	Bracket, Coil Mounting
	166-0588	1	Clamp, Coil Mounting
	167-1494	1	Cable, Spark Plug - Right Hand
	103-0515	1	Gear Case - Complete
			d by Onan: Fuel Pump, Choke, Spark Advance

SPECIA	L PARTS L	IST FOR MODEL	ccka-ms		SPEC	32000
	FOR ST	ANDARD PARTS	REFER-TO	CÂTALOG BY GROUP	927-0253	KEY NO. 4 HEN USED.
PART NO.	QTY.	DESCRIPTION		PART NO.	QTY.	DESCRIPTION
105-0238 *\150-0755 150-1264		shaft , Governor Arm ing, Governor				
化过程 医风险管	Furnished b Spark Advan Air Cleaner	ce & Associated P	arts			
			i d			
			; –			
		<u></u>				
	•			*		
						* 3 * * * * * * * * * * * * * * * * * *
						The state of the s
	•					
			0			
20.						

SPECIAL PARTS LIST FOR MODEL ____ CCKAF3G

SPEC

3201J

FOR STANDARD PARTS REFER TO CATALOG 927-0253

OPTIONAL GROUPS IN CATALOG ARE LIS	STED BY GROUP NO. BELOW WH	EN USED.
PART NO. QTY. DESCRIPTION	PART NO. OTY	DESCRIPTION
Group - 27 Variable Speed Governor		
Group - 29 4:1 Gear Reduction		
110-1707 1 Block Assembly, Cylinder		
104-0905 1 Crankshaft		4
152-0090 1 Stud, Governor Adjusting 159-1000 1 Arm, Governor Extension		
134-2830 1 Housing, Blower		
313-0018 1 Button, Stop 155-0860 1 Muffler, Exhaust		
I54-0356 1 Manifold, Intake		
154-0360 2 Gasket, Exhaust		
		na ^g a
		* · · · · · · · · · · · · · · · · · · ·
	3	: !
		4
	!	
		•
		, , , , , , , , , , , , , , , , , , ,
	*	**

		•
		3
		w.
		and the second s

SDEOLN	PARTS LIST FOR MODEL	CCKA-3MG SPEC 3202J
	FOR STANDARD PARTS REF	
	OTY. DESCRIPTION	PART NO. QTY. DESCRIPTION
Group - 6 Group - 27 Group - 29	/ Flywheel Alternator 15 A Variable Speed Governor 3.3:1 Gear Reduction LH	
110-1707 104-0905 105-0238	1 Block Assembly, Cylinder 1 Crankshaft 1 Camshaft	
155-0860 154-0356 154-0360 134-2621	1 Muffler, Exhaust 1 Manifold, Intake 2 Gasket, Exhaust 1 Flywheel	
Parts Not Fu	rnished by Onan ark Advance & Associated Parts	
, , , , , , , , , , , , , , , , , , , ,	gark Advance d Associated faits	

3211J 🌦 SPEČIAL PARTS LIST FOR **MODE**L CCK-MS FOR STANDARD PARTS REFER TO CATALOG 927-8253 OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED. PART NO. QTY. JESCRIPTION PART NO. QTY DESCRIPTION Group - 6 12V 15A Alternator Group - 17 Group - 27 Gas Fuel System Variable Speed Control 4 Washer, Valve Spring
Retainer 110-0893 Cover, Fuel Pump Hole 149-0136 110-0884 Head, Cylinder - RH #2 Cylinder 110-0883 Head, Cylinder - LH #1 Cylinder 142-0372 Carburetor 134-2621 Flywheel - Includes Ring . Gear

CCK-MS

FOR STANDARD PARTS REFER TO CATALOG 927-0253

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Group4 Group - 27 Group - 36 Group - 18		12V 20A Alternator Variable Speed Control Sisson Choke Gas-Gasoline Carburetor			
332+0556 332-1497	1 1 2	Connector - Stator Terminal - Stator			
720 0077		Clip, Stator Lead Mounting- Gearcase Cover (1) and Oil Fill (1)			
309-0237 501-0015 154-0360	1 1 1 2-	Switch, Oil Pressure Line, Ofl Gasket, Muffler		•	
1\$5-0769 502-0002	, 1 '. ,	Muffler Fuel Line			
148-0147 502-0431	! ! 1	Elbow, Fuel Line Pipe - Fuel Bracket, Oil Line - Manifold	•		
505-0057 153-0460	2 1 .	Plug Linkage - Choke to Carb.			
336-2392 502-0020	1	Lead - Choke Elbow, Oil Line			
134-2642	1	Flywheel - Includes Ring Gear	; .	•	,
•		· · · · · · · · · · · · · · · · · · ·		, , , , , , , , , , , , , , , , , , ,	

CCK+MS

SPEC

3226J

FOR STANDARD PARTS REFER TO CATALOG

927-0253

KEY NO.

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO.	QTY.	DESCRIPTION	PART NO.	OTY.	DESCRIPTION
Group - 4		≈12V 20A Alternator			
10.7 03.60		0.1 0.2			
193-0108 502-0058		Sender - 0il Pressure Tee - 0il Pressure			
3 3 2-0556	. 1	Connector - Stator			
332-1497	$1 \sim$	Terminal - Stator		n de la companya de l	
134-2642	11	Flywheel - Includes Ring			
		Gear			

	e te e Grant				
	a N			·	
			- " "		
	•	1734 . E.,			The state of the s
	•			riki di di	
		and the second of the second o			
	ar .			*	
		· · · · · · · · · · · · · · · · · · ·	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		2
n		· · · · · · · · · · · · · · · · · · ·			•
S	•			•	
				*	*
	•		4		
				· ·	1 }
· · · · · · · · · · · · · · · · · · ·					
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(77,715 12, 1 <u>- 1</u>	And the second second			
J. France					
	٠				
				*	
	ing.	San Britain Control	A Company of the Comp	<u>pina ngana</u> an	
			y		
	V	and sent the second of the second of the			
NATA CAL					
		At the first the first the second	ji vediti yim keliku ila a	心可能 计二极流程 的	「農店を見付き売け付けなりです」とは答案。

PECIAL PARTS LIST FOR **MODEL**FOR STANDARD PARTS REFER TO CATALOG 927-0253 KEY NO. 2

	हर्त स्वयं स्थापनीयम् स्थापे १००	H STANDARD PARTS HEFER TO IAL GROUPS IN CATALOG ARE LISTI	and the first of the control of the first of		The state of the s
PART NO.	, QТУ.	DESCRIPTION	- PART NO	OTY.	DESCRIPTION
Group -	-1	High Profile Breaker Box			
			142-0492		*Carburetor
			307-1288		Solenoid- Ruel Shutoff
		시 사람들은 그 사람들은 이유를 받았다.	154-0360	2	Gasket, Exhaust Manifo
110-23	58 1	Block Assembly, Cylinder-	167-0229	0 - 1 - 0 0 2 - 0 0 1	or the tribute of the North and the Tribute of tribute of the tribute of t
110 25.		Includes Breather Tube	1		Clip Cable
110-100	ດດີ່ວ	Insert, Intake Valve Seat	134-0731	<u>.</u>	Housing, Cylinder Air-I
104-060		Crankshaft	134-0588	.1	Housing, Cylinder Air-I
134-059		Clip-Rear Bearing Plate	503-0760		Hose, Air Intake
510-00		Ball, Fly-Governor	503-0768	2 .	Clamp-Breather Tube
112-00		Piston and Pin	503-0761	, L	Hose, Breather
		Ring Set, Piston	851-0011		Washer-Breather Hose to
- 113-00	_	Valve, Intake	107 0777	*	Air Intake Hose
110-10			123-07,33	1 .	Tube-Plastic-Breather I
110-09	04 4	Rotocap, Valve Spring Retainer	507 5000	_	to Air Intake Hose
120.04	70 I		503-0280	. 1	Clamp, Hose-Air Intake
120-04		Cup, Oil Pump Intake	142-0565	1	#Kit, Repair
102-08	7	Base, Oil	142-0241	1	#Fly, Choke
5.20-01		Stud-Oil Base Mounting	142-0192	1	#Shaft, Choke
104-00		Nut-Oil Base Mounting	142-0459	1	#Valve and Seat Assembly
103-02		Gear Cover Assembly-Complete	142-0474	1	#Nut and Jet Nozzle
510-00		Bearing, Needle-Lower		2 8	
\150-06		Yoke, Governor Shaft	* - Same a	as standa	rd carburetor except
150-03	771	Shaft and Arm Assembly,		marked #	
: __ : - :		Governor			
. 5/18-01	29 1	Ring, Governor Yoke Retain-	Parts Not	Furnishe	d by Onan
\		ing		Starter	
510-00	•			Fuel Pum	p
- 509-00		Seal, Oil-Gear Cover		Manual C	hoke
150-01		Bracket, Governor Spring .		Flywheel	
110-08	883 1	Heart Cylinder-#2 Cylinder-		Ignition	Coil and Leads
· •		L.H.			
110-08	884 1	Head, Cylinder-#1 Cylinder-			
		8 R.H.	1	Sec. 25.	
123-13		Cap and Indicator, Oil Fill.	*		The same of the sa
123-13		Tuhe, Oil Fill			
123-00		Gasket-Oil Fill Tube	· · · · · · · · · · · · · · · · · · ·		
309-00		Switch, Oil Pressure	1	á	
160-12	205 - 1	Box Assembly, Breaker			
		Complete	<u>.</u>		
160-0€		Point Set		100	
515-00					
502-00	058 - 1	Tee-Oil Line	. **3		
502-01		Adapter, Oil Line-Block to		•	and the second s
		Tee		100 100	Branch Company of the State of
* 134-17		Housing, Blower			
	001 2	Grommet, Blower Housing		the state of	
517-01		Plug, Plastic-Blower Housing	· · · · · · · · · · · · · · · · · · ·	1	
334-00		Lead-Blower Housing-4' of			
		HIL THE			

Key-Stub Shaft

Manifold, Exhaust

Manifold, Intake

515-0006

154-1427

154-1617

1

32**4**2J

ART NO.	QTY.	DE	SCRIPTION		PA	RT NO.	QTY		DES	CRIPTIC	N
			*	i de la							:
roup - 34		Vacu-Flo (Cooling				·		G. T.		
TOTE.			,	<u> </u>				er die tee		100 Sept. 1	\$1. A
			a a		N	***			1,	· Parameter	
					, y		r	•	.'	مهن	
. •	+ 1 1 1 1			. •					"TO MEDICAL		
			* *	. 1	1						
50-1016	.1	Arm, Gove		4							
26-0017	f	Washer - 1			*	•					
02-0020	1	Elbow, Oil	i Line,	:			÷.				
01-0 01 5 02-0431		Line, Oil Bracket A	ecombly 0	il Line		•	 - %-x				
02-0431 05-0057	2		Line - Br			30 48		•		·	
yar Oddar -	,	Assembly				Ç ™ •				\$	
34-279 \$	* - 1	Housing,	Blower		l° -	÷.			^		
17-0035	1		Button -	Blower -							
		Housing		1 1	1		` .			-	
34-0753	*.1	.Wheel.Blo	wer	*	1						
50-Q698	1		avernor Sp								- 7.
34-0564	. 1		ir Dischar		+						
34-2956	1	Guard Ess	croll Outl	et			E.				
04-0302	1	Flywheel*	. ي			,				•	
The second	W.	t	*						٠.		
			٠	* w		a		• ;	(2)		
	i ja	•									
			•						3 13		
				Ga :							
		*	1.	(.4.	1 3						
V 7 3									,		
.		1.84		* .	}						٠-
i ak									:		
- San	e			e e							
		•		ş.		* :					
		Sept.		and the same of th	1		er en				
	_	-	e .			:	ं 'कु				
			•			· - ··- ·		٠.			
: .	, , , , , , , , , , , , , , , , , , ,	•		A A							
* * * ·		t ^a					₹ .			•	
	*		٠	· · · · · · · · · · · · · · · · · · ·							
	1.0%			. 9		g.				, v	
•				2		, No.					ار المؤلف المؤلف
						2.13.2.2.					5 6

3255J

SPECIAL PARTS LIST FOR MODEL CCKA-MS SPEC FOR STANDARD PARTS REFER TO CATALOG 927-0253

KEY NO.

	and the second s	B	The Art of the Control of the Contro	and the second of the second of	1	F 12 12 24	1 12 (4) (4) (7) (7)	and the second	1 1 1 1 Y
	OPTIONAL	ABALIBA II		A ABE 1105			A STATE OF THE PARTY OF THE PAR		LIAEA
	CIMALICINAL	CARLIED IN	NICALALII	I AMP LIST	FITHY	CAMENIO!	N/1 P&P+1 { 14	N W M P N	113-113
	A		11 OUTLEP	O 11111 1110 1					The second second second
-	. 7.						and the state of t	Professional Control of the Control	

			N		RT NO.	QTY.	DESCRIPTION
Group - 6		·Fiywheel Charging (Phelon)	Alternator		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	6	
105~0238 167-0188 154-0360 ~ 155-0860	1 3 2. 2 1	Camshaft Clip Gasket, Exhaust Muffler, Exhaust		***************************************		•	

Parts Not Furnished by Onan.
Spark Advance & Associated Parts

FOR STANDARD PARTS REFER TO CATALOG 927-0253 OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

KEY NO.

	PART NO.	QTY.	DESCRIPTION		PART NO.	QTY.	DESCRIPTION
	Group - 6° Group - 17° Group - 28		12V 15A Alternator Gas Fuel System Top Mounted Engine Con	tŕol			
		:- · · · · · · · · · · · · · · · · · · ·					
	110-893	4	Washer, Valve Spring	. :			
	149-0136 110-0883	1	Retainer Cover, Fuel Pump Hole Head, Cylinder-#2 Cyli	nder	e de la companya de l		, · u &
	110-0884	1	LH Head, Cylinder-#1 Cyli RH			3w ² ,	***************************************
	502-0020 134-2878	1 1	Elbow, Oil line to Blo Housing, Blower	ck i	*		
÷	338-0565 508-0084	1*	Harness, Assembly Grommet - Blower Housi	ng		*	
- -:.	150-1000 336-2192	1 1	Extension - Governor A Lead Assembly - Output		· ·	· · · · · ·	
	155-1083 154-0360	1	Muffler Gasket, Muffler			-6'	en e
:- :- :	167-0188	2	Clip - Gearcase (1) an Fill Tube (1)	d Oil	*		
	· · · · · · · · · · · · · · · · · · ·	· -					

900-0043 Supplementary Parts List

· for

Model CCKA-S

Spec

3263 J

Standard Parts Catalog

927-0253

___Parts Key _

			
4	PART NO	QUAN.	DESCRIPTION
*	110-1418	1	Block Assembly, Cylinder (Includes Bearings,
-			Guides & Seats)
	104-0882 °	1	Crankshaft
	102-0468	1	Base, Oil
	120-0413	1	Intake, Oil Pump (Includes Cup, Screen & Pipe)
	123-0762	1	Cap and Indicator, Oil Fill
	154-0802	1	Manifold, Intake
₹ <u>1</u>	505-0008	1.	*Plug, Pipe (1/8-27) - Intake Manifold
	153-0249	1	Bracket, Choke
	518-0176	1	. Clip, Cable
*	518-0006	1	Clip, Governor Linkage
. "	150-0979	1	Rod, Throttle Link
	142-0416	1 ,	*Carburetor (Complete Breakdown in Parts Catalog)
	140-1348	a 1	*Base, Air Cleaner
	123-1284	1.	*Tube, Breather '- '- '- '- '- '- '- '- '- '- '- '-
	160-1135	1	*Breaker Box Assembly
	503-0744	1	Hose, Fuel
aligner of	RING SET, PISTON		
	113- <u>0</u> 088	-2	
	113-0088-05	2	.005" Oversize
	113-0088-10	2"	.010" Oversize
	113-0088-20	2:	.020" Oversize
	113-0088-30	2 .	.030" Oversize
e.e.:	113-0088-40	2	.040" Oversize
· · · -	134-0588	1 .	Housing, Cylinder Air (Right Side)
	134-1579	F 1	· Housing, Blower
	517-0021	1	Plug, Dot Button - Blower Housing
*	517-0009	1	Plug, Dot Button - Blower Housing
	150-1000	1	*Arm, Extension - Governor
			
are the			
	* - Items Shown	in Parts	Catalog as Optionals or for Specific Usage.
	MOTE Donte MOT	Eurnich	d by ONAN - Stop Button
	MOIE, Karts MOI	TOTHISHE	The by other - Scop buccon
		·	
:			
P : ig		1 .	

900-0043 Supplementary Parts List

Model CCKA-MS	Spec	3275J	• • • • • • • • • • • • • • • • • • • •	
Standard Parts Catalog	927-0253		Parts Key	4

PART NO.	_ QUAN.	DESCRIPTION
¢.		
	, ,	This Model has Vacu-Flo Cooling and a Full
	1 1	Flo Oil Filter System (Complete Breakdown in
		Main Parts Catalog)
110-1860	1 1	Block Assembly, Cylinder (Includes Bearings, Guid
	-	and Seats)
104-0872	1 1	Crankshaft
105-0238	1	Camshaft
510-0015	1 25 W	Flyball, Governor
102-0756		Base, Oil
120-30648	1 1	Intake, Oil Pump (Includes Cup, Screen & Pipe)
123 ₅ 0694		Cap and Indicator, Oil Fill
104-0302	1 1	Flywheel, (Includes Ring Gear)
309-0113	1 1	Switch, Low Oil Pressure Cutoff
140-1451	1	Base, Air Cleaner
123-1264		Tube, Breather
134~2796	1	Housing, Blower
134-2760	i	Housing, Cylinder Air - Right Hand
167-0215	3	Plug, Spark
517-0035	1	Dot Button Timing Hole
134~3352	i	Scroll, Blower Housing
÷508-0002	1 i /	Grommet, Rubber
338-1047	1	Harness, Wiring
134-2956	1	Guard, Blower Scroll Outlet
309-0151		Switch, Hi Temperature Cutoff
154-0356	1	Manifold, Intake
142-0431		Carburetor (Complete Breakdown in Main Parts Cata
160-1227		Bracket, Coil Mounting
166-0382		Coil, Ignition
503-0465	* 1	Clamp, Ignition Coil Mounting
167-1432	, 1	Lead, Hi Tension - 13" Lg
167-1457	1	Lead, Hi Tension - 8" Lg
_ **** <u>\$ 337-0056</u>		Strap, Ground
304-0060	= · - ·	Resistor, Ignition - 1.72 Ohm 25 Watt
304-000		Washer, Resistor Centering
304-0014		Support, Terminal
160-0144	1	Gasket, Breaker Box
100-0144		OBSACC, DICARCI DOA
· · · · · · · · · · · · · · · · · · ·	- `*','	Parts Not Furnished By Onan:

900-0043 Supplementary Parts List

for

A Marin Committee	1 20 E			1.0		
Model	CCKA-MS	1 A 3 1 1 1 1 1 1 1	· · · · · ·	0-44	3277J	÷
MOGEL				Spec	<u>i Arriva ya kata kata kata kata kata kata kata </u>	c
						•

Standard Parts Catalog ____927-0253

_Parts Key ___4

PART NO.	QUAN.	DESCRIPTION
	<u>.</u> #7	This Model has a 20 Ampere Flywheel Charging Alternator (Complete Breakdown in Parts Catalog) Optional Equipment
110-0915 	1 1 1 1 1	Block Assembly, Cylinder (Includes Bearing, Guides and Seats) Crankshaft Camshaft (With Pins) Base, Oil Cup, Oil Pump Intake (Includes Cup, Screen
123-0694 134-2462 134-2791 134-2798 502-0020 154-0356 155-1909 193-0108	1 1 1 1 1	and Pipe) Cap and Indicator, Oil Fill Wheel, Blower (Includes Ring Cear & Magnets) Housing, Cylinder Air - Right Hand Housing, Blower Elbow, Pipe - Oil Sender Mounting Manifold, Intake Manifold, Exhaust Sender, Oil Pressure
153-0213 152-0155 516-0059 153-0460 154-0360 505-0329 167-0241	1 1 2 *1 2	Choke, Electric (Sisson) Swivel, Choke Lever Pin, Cotter Rod, Choke Gasket, Exhaust Manifold Cap, Pipe Plug, Spark - Non Resistor
		Parts Not Furnished By Onan: Spark Advance and Associated Parts

900-0043

Supplementary Parts List

for

À		ä.		6	100 L		CCK	MC	 -	<i>.</i>	<u>; </u>
	ì.	A۷	3.0	اما		200	CCK	-1410			٠

Spec 3291J 927-0253

Standard Parts Catalog

Parts Key

PART NO.	QUAN.	DESCRIPTION
		This Model has Vacu-Flo Cooling - Complete Breakdow
		in Main Parts Catalog
	` 	
110-0915	1	Block Assembly, Cylinder
104-0882	1	Crankshaft
120-0648	1	Intake, Oil Pump
102-0756	1	Base, Oil
123-0644	1	Cap and Indicator, Oil Fill
134-2795	1	Housing, Blower *
134-2791	1	Housing, Cylinder Air - Right Hand
515-0202	1	Key, Crankshaft
F67-0241	2	Plug, Spark (Non Resistor)
517-0024	2	Button, Dot - Seroli
517-0035	Ī	Button, Dot - Timing Hole
134-0564	1	Scroll, Mounted 3 0 clock Position
134-2956	1	Guard, Scroll Outlet V
e e		
•		
y		
* . □ □		
	* *	
	A : *	
		
· · · · · · · · · · · · · · · · · · ·	- "-	
	. .	

SPECIAL PARTS LIST FOR MODEL CCK-F SPEC SPEC SPEC SPEC FOR STANDARD PARTS REFER TO CATALOG 927-0253 KEY NO. OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO BELOW WHEN USED.

:3.	and the second second	·	<u> </u>		
	PART NO.	QTY.	DESCRIPTION	PART NO. QTY.	DESCRIPTION
\$	1.3(1)				
	*		The state of Carlington		
4	110-1418		Block Assembly, Cylinder		
	104-0882	1	Crankshaft		
•	105-0150		Camshaft		
1.	105-0058	<u> </u>	Plunger, Camshaft Thrust	-	A STATE OF THE STA
Į.	105-0059	. 1	Spring, Camshaft Plunger		·-
	105-0030	1	Gear, Timing	1	
:	515-0001	1	Key, Gear Mounting		e was
	105-0004	1	Washer, Camshaft Gear Thrust		,
	103-0 44 6	1	Gearcase	°	S. Carlotte and Car
:	123-0791	1	Tube, Oil Fill		
	123-1354	1	Cap & Indicator, Oil Fill 📆		- 444 °
	503-0744	1	Hose, Fuel	* * * * * * * * * * * * * * * * * * * *	*
	503-0171	1	Clamp, Breather Hose		
	503-0479	1	Hose, Breather		
	153-0351	: 1	Cable, Choke		
٠.	154-0356:	. 1	Manifold, Intake	÷	•
	155-0513	1.3	Muffler, Exhaust		
	152-0156	1	Throttle, Manual		
	153-0249	ø <u>1</u>	Bracket, Choke Cable		
	154-0360	<u> </u>	Gasket, Muffler		J.F.
	140-0756	1	Cleaner, Air		
-	503 = 0280	1	Сlamp, Hose		ં કેં છે.
	503-0464	$\theta_1 = \frac{1}{2} - \frac{1}{2}$	Hose, Air Cleaner -		*
	145-0079	1	Inlet, Carburetor Air		
	123#0733	1 .	Connector, Breather Hose		* *
	. 140-0211	1	Tube, Air Cleaner Hose		
	-503~0280	ì	Clamp, Hose	·	· ·
	101-0372	1	Adapter, Clutch		· · ·
	503-0107	, I	Clamp, Air Cleaner 5		
	104-0402	1	Ciutch, Flywheel		
	515-0006]	- Key. Woodruff		
					•

SPECIAL PARTS LIST FOR MODEL FOR STANDARD PARTS REFER TO CATALOG 927-0253 OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED. DESCRIPTION PART NO. 12V 15A Alternator Lead Assembly - Output 336-2192 Clip - Gearcase (1) and 167-0188 Oil Fill Tube (1) Gasket, Muffler

CCKA-MS

SPECIAL PARTS LIST FOR MODEL

3311.

FOR STANDARD PARTS REFER TO CATALOG 927-0253 OPTIONAL GROUPS IN CATALOG'ARE LISTED BY GROUP NO. BELOW WHEN LISED.

	PART NO.	QTY.	DESCRIPTION	Var. X	PART NO. , GTY.	D	ESCRIPTION
5	Group - 37	7	Electric Choke - Sisson				
18				*			
	105-0238	1	Camshaft				
	123-0764	1	Cap & Indicator, Oil Fill			w.y	***
	123-0704	*	Tube, Oil Fill			**	
	503-0479	1	Hose, Breather				The second section is
	104-0302	1	Flywheel				
	134-0753	î	Blower Wheel				
	309-0237	1	Switch LOPKO			1. 4	
-	166-0519	ī	Bracket, Timing			•	
	134-2795	ī	Housing, Blower		g	* (*)	
	517-0035	1	Button, Dot				
	517-0021	1	Button, Dot				
٠.	134-1725	$\overline{1}$	Scroll, Blower Housing		. ***	*	4
	134-2956	1	*Guard, Blower Housing			· • • • • • • • • • • • • • • • • • • •	
	· · · · · · · · · · · · · · · · · · ·	* * * * * * * * * * * * * * * * * * *	Scroll .				
-	140-0736	1	Cleaner, Air	2.5		ō:,	
	503-0280	2	Clamp, Hose		Y ->	° «	
***	503-0464	1	Hose, Air Cleaner		. **	, - W	
	145-0079	1	Inlet, Carburetor Air				
	123-0733	1	Connector, Breather Hose			•	
	140-0211	1	Tube, Air Cleaner Hose	,		• .	
. 	503-0280	1 .	Clamp, Hose		· · · · · · · · · · · · · · · · · · ·		
	154-0356	1	Manifold, Intake		•	•	* * * * * * * * * * * * * * * * * * * *
	154-0 3 60	2	Gasket, Exhaust Manifold				•
	, 154-0572	1	Manifold, Exhaust			:	A second
	(515-0202	1	Key, Crankshaft	* + +			
	503-0107	1	Clamp, Air Cleaner				
	2.,			,			
						, ,	
	Parts Not					-	4
		Spark Ac	lvance and Associated Parts	-			•
		•		1			

3312J

SPECIAL PARTS LIST, FOR MODEL CCK-MS SPEC FOR STANDARD PARTS REFER TO CATALOG 927-0253

KEY NO.

λ τ	OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.											
PART NO.	оту.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION							
			4	1								
Group - 4		. 12V 20A Alternator			환경 환경하여 10분의 기업 기업 등 급급 및 기업 선생님(1987년 1987년 - 1987년 1							
Group - 17		Gas Fuel System										
Group / 28		Top Mounted Engine Control										
Group - 32		Spin-On Oil Filter .										
110-0893	4	Washer, Valve Spring Retainer	医甲基基氏统 [7									
332-05\$6	1.	Connector - Stator										
332-1497	1	Terminal - Stator										
150-0159	. 1	Bracket, Governor Spring										
167-0188	2	Clip - Gearcase (1) and										
		Oil Fill Tube (1)										
110-0383	1	Head, Cylinder-#2 Cylinder										
					- American (1997)							
110-0884	1	Head, Cylinder-#1 Cylinder										
		RH*			* e							
150-1000	1	Extension, Governor Arm										
502-0020	1	Elbow, Oil Line to Block			\$							
134-3376	1	Housing, Blower	$(1 + \frac{1}{2} \frac{1}{2}$									
338-0565	1	Harness Assembly	er ere er er e									
508-0084	V	Grommet - Blower Housing										
170 0117		Stud Spood Adjusting			A CONTRACTOR OF THE PARTY OF TH							
150-0147	Ţ	Stud, Speed Adjusting Nut, Special - Speed Adj.										
150-0621	1											
1 100 1 000		Stud										
110-1860 .	· l	Block Assembly, Cylinder	10 B	•								
134-2760	1 .	Housing, Cylinder Air - RH										
			Art State State									
					a in the second of the second							
			e e e		y . *							
	, ·		· • • • • • • • • • • • • • • • • • • •		I.							
	. B			eran eran eran eran eran eran eran eran	<u> </u>							
		1										
	,			•								
· •	•			9.5	ve							
				<i>I</i>								

SPEC

FOR STANDARD PARTS REFER TO CATALOG 927-0263

KEY NO.

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED:

PART NO.	QΤΥ.	DESCRIPTION	PART NO.	QTY. DESCRIPTION
Group- 1		High Profile Breaker Box	518-0006	1 Clip, Rod End
Group- 4		Flywheel Charging Alternator	502-0395	1 Connector Hose
oroup		(Syncro)	166-0678	-1 - Bracket, Coil Mounting
1			166-0588	1 Clamp, Coil
110-2358	. 1	Block Assembly, Cylinder	167-1581	1 Lead, Hi Tension 15"
110-1000	. 2	Seat, Intake Valve	167-1560	Lead, Hi Tension 24"
110-1037	2	Valve, Intake	142-0565	1 #Kit, Repair
110-0904	$\frac{1}{2}$	Rotocap, Intake Valve	142-0241	1 #Fly, Choke
104-0882	. 1	Crankshaft	142-0192	1 ,#Shaft, Choke
112-0073	2	Piston and Pin	142-0459	1 - #Valve and Seat Assembly
113-0089	2	Ring Set, Piston_		
105-0238	1	Camshaft	Parts not	Furnished by Onan
120-0759	, <u>, , , , , , , , , , , , , , , , , , </u>	Intake, Oil Pump	* Spark Ad	vance and Associated Parts
102-0835	Ī	Base, Oil		
√-•150-0159°		Bracket, Governor Spring	* - Same a	s-standard carburator except
167-0188	$\tilde{2}$	Clip		marked #.
123-1356		Cap and Indicator, Oil Fill		***
123-0255	≈ <u>I</u>	Tube, Oil Fill		₩ *
123-0092		Gasket, Oil Fill Tube Mtg.	•	
309-0237	1	Switch,LOP		
503-0479		Hose, Breather		
503-0170	1	Clamp, Hose		**************************************
134-0599	1.	Clip, #2 Cyl. Cover		
134\2108	1.	Clip, #1 Gyl. Cover		
503-0107	\ \ \ 1	Clamp		.
167-0252	. 2	Piug, Spark		
145-0301	\setminus 1	Inlet, Carburetor Air		
140-0211	$^{\wedge}$ 1	Tube, Air Cleaner	the second of the second of	· · · · · · · · · · · · · · · · · · ·
503-0280	\setminus 1	Clamp Hose		and the state of t
167-0229	$\sqrt{2}$	Clip		
110-2551	5	Gasket, Valve Cover		
160-1234	1.	Gasket, Breaker Box Cover		
		Mounting	К	
515-0006	11	Key, Crankshaft		The American Company
- 160-1205	• 1	Box, Ignition Breaker	1 .	**************************************
		(Complete)		· · · · · · · · · · · · · · · · · · ·
434-3390	1.	Housing, Blower		
166-1042	1	Box, Breaker	<u> </u>	·
160-0931	1	Guide, Plunger		
160-0638	1	Point Set, Ignition		
160-0261	• T	Wick, Ignition Box		
142-0590	1	*Carburetor		
154-0360	2	°Gasket, Exhuast		
154-1137	1	Manifold, Exhaust	1	
153-0487	1	Choke, Electric		
153-0488	Ĺ	Linkage, Choke		····
518-0371	2	Clip, Rod End (LH)		The state of the s
141-0849	1	Lever, Oil Shutter		
				对感觉 医动物性 医电阻性

 $CCKA_{\exists}S$

3322J

FOR STANDARD PARTS REFER TO CATALOG 927-0253

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED

PART NO.	QTY.	DESCRIPTION	PART NO. OT	Y DESCRIPTION
Group - 20		Gasoline Carb Adj. Jet		
Group - 26	and the second second	Variable Speed Control		
Group - 35	and the second of the second	Readi-Pull Starter		
				(A)
، آ <u>ن عیساُوس ر</u> ید	ia Sangangan			5
110-2358	J	Block Assembly, Cylinder-	150-1475 1	Kit, Vacuum Speed Booster
	<u>"</u> ,	Includes Breather Tube		Replacement (Includes Par
110-1000	. 2	Insert, Intake Valve Seat		Marked *)
104-0882	1	Crankshaft	150-0430 1	Bracket, Spring to Govern
517-0048	1.	Plug, Expansion		Link
510-0015	10	Ball, Fly - Governor	150-1474 1	*Diaphragm Replacement Kit
105-0238	1	Camshaft - Includes Center		(Includes Parts Marked +)
	iling in	Pin /	150-0668 l	+Gasket, Diaphragm Plate
113-0088	2	Ring Set, Piston	- 15 0- 0425 1	Gasket, Booster to Manifo
120-0400	. , 1 .	Cup, Oil Pump Intake	150-0475 1	*Spring, Internal
. 102-0402	1	Base, Oil	150-0376	*Bracket, Internal Spring
152-0212	1 -	Control, Variable Speed-		Adjusting
· · · · · · · · · · · · · · · · · · ·		Complete	516-0039	
152-0211	. 1	Lever, Adjusting	150-0666 1	, , , , , , , , , , , , , , , , , , ,
152-0213	*1	Plate, Adjusting	516-0085 1	3
150-0988	* 1	Extension, Governor Arm	1	
503-0744	1	Line, Pump to Carb. 📑 🦫 🦠		(Not sold separately)
123-0489	11/1	Cap & Indicator	1	*Cover, Vacuum Booster (No
159-0617	1 .	Tube, Oil Fill		Sold Separately).
160-0937	1	Flywheel	150-0475 1	*Spring, External
134-2946	1	Housing, Blower	815-0148	*Screw, Slotted Hex Head
- 134-07 98	A_{\perp}	Baffle, Air		$(#8-32 \times 7/8!!)$
518-0178	1	Clip, Air Baffle	853-0008	Washer, Lock-ET (#10)
154-0688	1	Manifold, Intake	813-0111 2	Screw, Machine-Round Heac
		5° "		(#10-32 x 2-1/4")
	`			
150-1023	1	Stud, Speed Adjusting		Vacuum Speed Booster
515-0 006	- j ,	Key, Stub Shaft	Replacement	
	• •		+ Included in	Diaphragm Replacement Kit

2. 44. 11		15 19		1.15 Jan 19 1	a fraction to the second	100 700			-
~ -		. F . W. 1			LIST			7 mm - mm (1)	
			. LJA	Lilia		L 7 7 L			4.
							. IVIII		
	The same of								

ECIAL PARTS LIST FOR MODEL GCK-MS SPEC 3325J
FOR STANDARD PARTS REFER TO CATALOG 927-0253 KE

	AL GROUPS IN CATALOG ARE LISTE	TED BY GROUP NO. BELOW WHEN USED.					
PART NO. GTY.	DESCRIPTION	PART NO. QTY.	DESCRIPTION				
⊏Group = 6 Group - 28	12V 15A Alternator Top Mounted Engine Control						
167-0188 2	Clip - Gearcase (1) and Oil Fill Tube (1)						
150-1000 1 502-0020 1 134-2878 1	Extension, Governor Arm Elbow, Oil Line to Block Housing, Blower						
338-0565 1 508-0084 1	Harness Assembly Grömmet - Blower Housing						
154-0360 2	Muffler Gasket, Muffler						
505-0618 1 336-2192 1	Cap, Muffler Lead Assembly - Output						
			and the state of t				
		i i i i i i i i i i i i i i i i i i i					
			And the latter of the latter o				

SPECIA	L PAR	TS LIST F	OR MODI	EL S	CCKA	\-MS		SPEC		3330J
	FO	RSTANDA	ARD PAR	TS REF	ER TO	CATAL	og	9 <mark>27-0253</mark>	K	EÝ NO. 🍃 🗸
	OPTION	AL GROUPS	IN CATAL	OG ARE	LISTED	BY GRO	OUP NO.	BELOW	WHEN US	ED.
PART NO.	QTY.	C	ESCRIPTION	N		PART	NO.	YY.	DE	SCRIPTION
				aerine i nyen Litari		, t				• 27*
GROUP 6		FLYWHEEL (Phelor	ALT 15 A	MP.				anda an		4
		Vi ne toi								
CDAUD 27	* *	ALAD TADS E	כחבבה כי	nii Nii	17.					_
GROUP 27			SPEED G(J¥-					s - 1	
155 -0860	· 1	Muffler		·.			· · · · · · · · · · · · · · · · · · ·		e ¹⁵ .	
· -	. · · · · ·	* *	Mar	Na ·				100		
4	*		. vr .			11. 12.	*.			
PARTS NOT	FURNIS	HED BY ON	/N				V ,			6
- Spark /	\dvance	Mechanism	n -	<u>.</u>				3		
		· _ :		*	nac in		1 1			
		₩		·		:'		F #		¢
- . ·	• • •						·		****	
	1.05 				*			\$ - z		
		* 60								- Sec. 19
¢.									•	
News,	2 ⁻⁵	. *						ř.		
						5			·	
							, s		• • • •	
		·* :				· ·	.:			
				* .					, e	•
			7.	•		. "		·	•	i i i
and the second s	:	2.6")					a			·
			e sur				i ka ta ara			
		vi "	*						5	
	•	•			*					٠.
•					. "		ν,			
	· - :-				37			· · · · · · · · · · · · · · · · · · ·		
6, -	20 20 30 50 7			-				ing the second s		
					6					
ą		*	e E Length		# .					-
			9,	•	* * *					· :
67					*.				12/4	
	·	• • • • • • • • • • • • • • • • • • •	No regist	2 - 2						
									/ *	
	· · · · · · · · · · · · · · · · · · ·		* 8 1 k 0 h	at in the company				,		

SPEC 3339J

FOR STANDARD PARTS REFER TO CATALOG 927-0253 KEY NO. 2 OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

110-1000 2 Tinsert, Intake Valve Seat 150-0102 1 Link, Governor 1516-0160 2 Pin, Dowel-Oil Base 184-0360 2 Casket, Exhaust Manifed 105-0030 1 Gear, Tining - Camshaft 154-0360 2 Casket, Exhaust Manifed 165-0030 1 Camshaft 145-0322 1 Inlet, Carburetor Air 112-0073 2 Piston and Pin 140-0994 1 Cleaner, Air 113-0893 2 Ring Set, Piston 503-0653 1 Hose, Air Hose (1) and Air Cleaner 100-1037 2 Valve, Intake 100-0893 4 Washer, Valve Spring Retainer 502-0058 1 Tee, Oil Line 104-0275 1 Connector, Oil Line 104-0275 1 Connector, Oil Line 104-0275 1 Casket, Governor 102-0459 1 Connector, Oil Line 102-0563 1 Gasket, Oil Base 102-0563 1 Gasket, Oil Base 120-0100 1 Shafta-Idler Gear 150-0104 1 Gasket, Governor 102-0562 1 Base, Oil Tincludes Parts Marked 150-0101 1 Gear-Cover Complete Includes Parts Marked 150-0101 1 Gear-Cover Conglete R.H. Head, Cylinder -#2 Cylinder 800-0734 1 Screw-Gearcase 110-2474 1 Head, Cylinder -#2 Cylinder 110-2473 1 Head, Cylinder 110-2473 1	PART NO:	QTY.	DESCRIPTION	PART NO. QTY	DESCRIPTION
154-1534 1		* ,		17.000	500
110-1469	Carrier to the Carri			1	- " A.
101-0469	Group_= 25		Rectangular Air Cleaner	the state of the s	
10-10-0387				516-0157 2	· · · · · · · · · · · · · · · · · · ·
110-1000 2 Insert, Intake Valve Seat 150-0122 1 Link, Governor 134-0599 1 Clip-Rear Bearing Plate 134-0599 1 Clip-Rear Bearing Plate 154-0360 2 Gasket, Exhaust Manifed 154-0322 Intet, Carburetor Air 112-0073 2 Piston and Pin 134-0391 1 Manifedd, Intake 134-0392 1 Manifedd, Intake 134-0329 1 Manifedd, Intake 140-0994 1 Cleaner, Air 140-0995 1 Connector, 0il Line 104-0275 1 Connector, 0il Line 150-0104 1 Gasket, 0il Base 150-0104 1 Gasket, 0il Base 150-0104 1 Gasket, 0il Base 120-0104 1 Gasket, 0il Base 120-0104 1 Gasr-George 120-0105 1 Gasr-George 120-0104 1 Gasr-George 120-0104 1 Gasket, 0il Fill 140-013 1 Serew-Gearcase 140-035 1 Gasket, 0il Fill 140-014 1 Gasket, 0il Fill 1 Gasket, 0il Fill 1 Gasket, 0il		1			O ,
1516-0160 2 Pin, Dowel-011 Base 154-0360 3 Tube, Cas Inlet 154-0300 1 Gear, Timing - Camshaft 154-0300 2 Gasket, Exhaust Manife 154-0302 1 Inlet, Carbureton Air 113-0089 2 Ring Set, Piston 113-0089 2 Ring Set, Piston 100-0803 4 Masher, Valve Spring Retainer 150-0058 1 Tee, 0il Line 150-0058 1 Tuverted Male 150-0058 1 Tuverted Male 154-0322 1 Inlet, Carbureton Air 160-0058 1 Tuverted Male 150-0058 1 Tuverted M	· .	1			*Nut, Lock-Linkage Ball Jo
134-0599 Clip-Rear Bearing Plate 195-0050 1 Gear, Tining - Camshaft 105-00428 1 Camshaft 112-0073 2 Piston and Pin 134-0089 2 Ring Set, Piston 110-1037 2 Valve, Intake 101-0037 2 Valve, Intake 101-0037 3 Valve, Intake 101-0037 3 Valve, Intake 101-0037 3 Valve, Intake 101-00393 4 Washer, Valve Spring Retainer 102-0058 1 Connector, Oil Line 104-0275 1 Covernor 102-0050 1 Connector, Oil Line 104-0275 1 Covernor 102-0562 1 Base, Oil 103-0057 1 Gear Cover - Complete Includes Parts Marked 150-0101 1 *Gear Cover - Complete Includes Parts Marked 150-0101 1 *Gear Cover - Complete Includes Parts Marked 150-0101 1 *Gear Cover - Complete Includes Parts Marked 150-0101 1 *Gear Cover - Complete Includes Parts Marked 150-0101 1 *Gear Cover - Complete Includes Parts Marked 150-0101 1 *Gear Cover - Cover Part Pump Hole 100-2474 1 Head, Cylinder * 2 Cylinder * 1 100-2474 1 Head, Cylinder * 2 Cylinder * 1 100-2474 1 Head, Cylinder * 2 Cylinder * 1 Includes Parts Marked 102-2474 1 Head, Cylinder * 2 Cylinder * 1 Includes Parts Marked 100-2474 1 Head, Cylinder * 2 Cylinder * 1 Includes Parts Marked * 1 Cover *	110-1000	2	•	· ·	
105-0030	516-0160	2 -			The state of the s
1.05-0428		1		· ·	Gasket, Exhaust Manifold
113-0089 2 Piston and Pin 140-0994 1 Cleaner, Air 113-0089 2 Ring Set, Piston 140-0983 4 Washer, Valve Spring Retainer 503-0053 1 Hose to Air Cleaner 1502-0058 1 Connector, Oil Line 134-1591 1 Housing, Cylinder Air 102-0459 1 Cup, Oil Pump Intake 151-0345 1 Covernor 102-0563 1 Gasket, Oil Buse 102-0562 1 Base, Oil Buse 102-0562 1 Base, Oil Buse 150-0104 1 Gasket, Governor 120-0102 1 Line, Oil-Governor 150-0104 1 Gasket, Governor 150-0106 1 Shaft#-Idler Gear 1.80-0101 1 Shaft#-Idler Gear 1.80-0101 1 Searing-Ball-Gear Cover R. H. Head, Cylinder = 2 Cylinder 1.80-013 1 Craw-Fuel Pump Hole 1.80-013 1 Craw-Fuel Pump Hole 1.80-013 1 Cover-Fuel Pump Hole 1.80-013 1 Cover-Fuel Pump Hole 1.80-013 1 Craw-Fuel Pump Hole 1.80-013 1 Craw-Fuel Pump Hole 1.80-013 1 Craw-Fuel Pump Hole 1.80-013 1 Cleaner, Air 1.80-013 1 Cleaner, Air 1.80-010 1 Sexew-Cover 1.80-010	. 105-0030	1	Gear, Timing - Camshaft		
113-0089	105-0428	1	· · · · · · · · · · · · · · · · · · ·		
110-1037 2 Valve Intake 110-10895 4 Washer, Valve Spring Retainer 502-0058 1 Tee, Oil Line 134-1591 1 Hose to Air Cleaner 150-0030 1 Connector, Oil Line 150-0104 1 Gasket, Governor 120-0459 1 Gasket, Oil Base 160-0104 1 Gasket, Governor 120-0563 1 Gasket, Oil Base 160-0104 1 Gasket, Governor 120-0102 1 Ine, Oil-Governor 120-0102 1 Ine, Oil-Governor 120-0104 1 Gasket, Governor 120-0104 1 Gasket, Governor 120-0105 1 Gear-Cover Complete Includes Parts Marked 150-0100 1 Shaft*-Idler Gear 150-0100 1 Shaft*-Idler Gear 150-0101 1 Scar-Idler 160-013 1 Scar-Idler 160-011 1	112-0073	4.4	Piston and Pin	140-0994 1	
110-0893	113-0089		Ring Set, Piston	503-0653 1	
Tainer	110-1037	2		503-0004 2	Clamp Sleeve to Air Clean
Tee, Oil Line 134-1591 1 Housing, Cylinder Air 102-0030 1 Connector, Oil Line - 151-0345 1 Governor 102-0563 1 Gasket, Oil Base 102-0563 1 Gasket, Oil Base 120-0102 1 Line, Oil-Governor 120-0106 1 Shaft*-Idler Gear 150-0104 1 Gasket, Oil Prossure 1746-0106 1 Shaft*-Idler Gear 150-0100 1 Shaft*-Idler Gear 150-0101 1 Scal, Oil Scal, Oil 10-1928 8 Screw-Cylinder Head 150-0116 1 Scal, Oil Scal, Oil Scent-Governor* 101-1928 8 Screw-Cylinder Head 100-013 1 Scal, Oil Scal, Oil Scol, Oil Scol, Oil Scol, Oil Screw-Gearcase 149-0136 1 Cover-Fuel Pump Hole 100-2474 1 Head, Cylinder #2 Cylinder 800-0730 4 Screw-Gearcase 101-2474 1 Head, Cylinder #2 Cylinder 123-0832 1 Cap and Indicator, Oil Fill S00-0740 2 Screw-Ill Tube Mounting 1515-0094 2 Screw-Fuel Shaft S15-0094 2 Screw-Fuel Shaft S15-0096 1 Sey, Stub Shaft S15-0096 1 Sey, Stub Shaft S02-0019 1 Elbow, Oil Line S00-0004 1 Cap and Indicator S00-0710 Screw-Hower Housing S15-0006 1 Sey, Stub Shaft S02-0019 1 Elbow, Oil Line S00-0004 1 Cap and Indicator S00-0710 Screw-Hower Housing S15-0006 1 Sey, Stub Shaft S02-0019 1 Elbow, Oil Line S00-0004 1 Source Housing S00-0005 1 S00-0006 S00-0004 1 Screw-Housing S00-0006 S00-0004 1 Source Housing S00-0006	110-0893	4	Washer, Valve Spring Re-		- Hose (1) and Air Clean
102-0309			tainer		Hose to Air Cleaner (1
Inverted Nale	- 50 2-0 058	· <u>1</u>	Tee, Oil Line	134-1591 1	Housing, Cylinder Air R.H
120-0439	502-0030	1	Connector, Oil Line -	104-0275 1	Crankshaft "
102-0563			Inverted Male	151-0345 🦠 1	Governor
102-0563	120-0439	1	Cup, Oil Pump Intake	150-0104 1	Gasket, Governor
102-0562		: 1	1 7	120-0102 1	
103-0057 1	·	_		•	·
Includes Parts Marked * RESISTANT HARDWARE PARTS: 150-0101 1		ī,	the contract of the contract o	1	
150-0100	200 0007	<u>.</u>	· -	3	
150-0101	150-0100	1			
150-0116]		3	
Sog-0013	4	1	· ·		
Sino-0019	•	ı t		C .	- · · · · · · · · · · · · · · · · · · ·
149-0136	w 6 '	1	· · · · · · · · · · · · · · · · · · ·	•	· · · · · · · · · · · · · · · · · · ·
110-2474	p	1	<u> </u>		
R.H. 110-2473				N	
Head, Cylinder -#1 Cylinder	110-24./4	7		4 .	
I.H.	110 2477				· · · · · · · · · · · · · · · · · · ·
123-0832	110-24/5	` 1 .	·	1	
123-0861 1 Tube, Oil Fill 800-0710 2 Screw-Fill Tube Mounting 123-0092 1 Gasket, Oil Fill Tube 800-0708 3 Screw-Blower Housing 812-0330 2 Screw-Governor Mounting 850-0165 7 Washer, Shakeproof-Cyl Air Housing & Blower 850-0160 4 Washer, Lock-Oil Fill and Governor Mounting 850-0165 10 Washer, Lock-Bearing 850-0165 10 Washer, Lock-Bearing 850-0165 10 Washer, Lock-Bearing 813-0290 2 Screw-L.H. Air Housing 813-0290 2 Screw-L.H. Air Housing 813-0290 2 Screw-R.H. Air Housing 813-0290 3 Screw-R.H. Air Housing 813-0290 3 Screw-Governor Mounting 813-0290 3 Scre	107 70070.	• · ·			
123-0092		1		1	
S15-0094 2 Key-Flywheel S12-0330 2 Screw-Governor Mounting S15-0006 1 Key,Stub Shaft S64-0015 7 Washer, Shakeproof-Cylone S50-0160 4 Washer, Lock-Oil Fill S02-0019 1 Elbow, Oil Line S50-0165 1 Washer, Lock-Bearing National Starter S02-0058 1 Tee, Oil Line S15-0290 2 Screw-L.H. Air Housing S15-0290 2 Screw-L.H. Air Housing S15-0290 3 Screw-R.H. Air Housing S15-0291 1 S15-0291 2 Screw-R.H. Air Housing S15-0291 2 Screw-R.H. Air Housing S15-0291 3 S15-0291 2 Screw-R.H. Air Housing S15-0291 3 S15-0291 3 Starter S15-0291 3 Starter S15-0291 3 Starter S15-0291 Starter S15-0291 3 Starter S15-0291 Starter S15-029		1		1	
Sis-0006		1		•	
Air Housing & Blower Source Sourc		2			and the second of the second o
Complete		1		854-0015 /	
160-0638 1 Point Set 502-0019 1 Eibow, Oil Line 502-0058 1 Tee, Oil Line 504-0004 1 Line, Oil-Flex 134-1855 1 Housing, Blower 193-0147 1 Gauge, Oil-Includes Bracket 502-0005 1 Elbow-Oil Line To Gauge 336-2071 1 Lead -Blower Housing 508-0001 1 Grommet-Blower Housing 870-0171 4 Nut, Plastic-Blower Housing And Governor Mounting 850-0165 10 Washer, Lock-Bearing I 815-0290 2 Screw-L.H. Air Housing 815-0290 2 Screw-R.H. Air Housing 815-0291 2 Screw-R.H. Air Housing 850-0170 6 Washer, Lock-Oil Base Parts not Furnished by Onan: Starter Flywheel	160-1205	1			
502-0019 1 Fibow, Oil Line 502-0058 1 Tee, Oil Line 504-0004 1 Line, Oil-Flex 134-1855 1 Housing, Blower 193-0147 1 Gauge, Oil-Includes Bracket 502-0005 1 Elbow-Oil Line To Gauge 336-2071 1 Lead -Blower Housing 508-0001 1 Grommet-Blower Housing 850-0165 10 Washer, Lock-Bearing I and Gear Cover 815-0290 2 Screw-L.H. Air Housing 815-0290 2 Screw-L.H. Air Housing 850-0170 6 Washer, Lock-Oil Base 850-0170 6 Washer, Lock-Oil Base Parts not Furnished by Onan: Starter Flywheel	e e e e e e e e e e e e	<u> </u>	-,	850-0160 4	-
502-0058 1 Tee, Oil Line 504-0004 1 Line, Oil-Flex 134-1855 1 Housing, Blower 193-0147 1 Gauge, Oil-Includes Bracket 502-0005 1 Elbow-Oil Line To Gauge 336-2071 1 Lead -Blower Housing 508-0001 1 Grommet-Blower Housing 870-0171 4 Nut, Plastic-Blower Housing Flywheel		1	· · · · · · · · · · · · · · · · · · ·		,
134-1855 1 Housing, Blower 193-0147 1 Gauge, Oil-Includes Bracket 202-0005 1 Elbow-Oil Line To Gauge 2036-2071 1 Lead -Blower Housing 208-0001 1 Grommet-Blower Housing 208-0171 4 Nut, Plastic-Blower Housing 208-0171 508			-	850-0165 10	
134-1855 1 Housing, Blower 193-0147 1 Gauge, Oil-Includes Bracket 502-0005 1 Elbow-Oil Line To Gauge 336-2071 1 Lead -Blower Housing 508-0001 1 Grommet-Blower Housing 870-0171 4 Nut, Plastic-Blower Housing Flywheel	502-0058	1 🚜			
193-0147 1 Gauge, Oil-Includes Bracket 502-0005 1 Elbow-Oil Line To Gauge 336-2071 1 Lead -Blower Housing 508-0001 1 Grommet-Blower Housing 870-0171 4 Nut, Plastic-Blower Housing Flywheel	- 501-0004	1	Line, Oil-Flex	81,5-0290 2	
\$502-0005 1 Elbow-Oil Line To Gauge 850-0170 6 Washer, Lock-Oil Base 9336-2071 1 Lead -Blower Housing Parts not Furnished by Onan: 870-0171 4 Nut, Plastic-Blower Housing Flywheel		1		R	
336-2071 1 Lead -Blower Housing Parts not Furnished by Onan: 508-0001 1 Grommet-Blower Housing Starter 870-0171 4 Nut, Plastic-Blower Housing Flywheel		1	.Gauge, Oil-Includes Bracket	815-0261 2 2	Screw-R.H. Air Housing
336-2071 1 Lead -Blower Housing Parts not Furnished by Onan: 508-0001 1 Grommet-Blower Housing Starter 870-0171 4 Nut, Plastic-Blower Housing Flywheel	្ង ទី 02-0005	. 1	Elbow-Oil Line To Gauge		Washer, Lock-Oil Base & i
508-0001 1 Grommet-Blower Housing Starter 870-0171 4 Nut, Plastic-Blower Housing Flywheel	336-2071	1	· · · · · · · · · · · · · · · · · · ·		
870-0171 4 Nut, Plastic-Blower Housing Flywheel	7. 90 No. 100 A	1			
of the first of the control of the c	arrange and the second second	- د 4 ⁻		1	24. **
A reference of the control of the co		2		1	the contract of the contract o
Carburetor				1	

SPECIAL PARTS LIST FOR MODEL ____CCK-3MG

3341J

FOR STANDARD PARTS REFER TO CATALOG 927-0253

KEY NO.

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

· ji'		- 15 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		i		<u>. 151 (144)</u>			Market Mark	, 48 C		
4	PART NO.	QTY.	DESCRIPTION		PART N	VO.	QTY.		DESC	RIPT	ION	********
***	Group 6 Group 29		12V 15A Alternator 3.3 to 1 Reduction gear		*						**************************************	
	,					: :					%	•
4	510-0015	5	Ball, Fly - Governor				<u></u> : <u></u> -	·	<u>-</u>	· • · —	· ·	
ì	167-0188	2	Clip - Gearcase (1) and					<u>.</u>	•	٠.		
		4	Oil Fill Tube (1)						:			
	336-2192	1	Lead Assembly - Output			. «						
Ϊ.	150-0790	1.	Arm, Extension - Left Pull									•
· .	134-3220	1	Housing, Blower		•		,	*				
e,	154-0360	. 2	Gasket, Muffler		• .							
	155-0480	. 1	Muffler, Exhaust		·			٠.	b			
	150-0698	. 1.	Spring; Governor	1.		6 g	٠					
									×		é	

				 	4 24 4				
				 Win					
				 	- 15" -				
4		()		 F 3 T C	, , ,	73 T F	$\overline{}$		
	_	77.		 H 16 7		- 1	<i>i</i> 12		
•			1.77.6		5 . III. 6			1016	
٠,				 		SIF	-		

CCK-MS

FOR STANDARD PARTS REFER TO CATALOG 927-0253 KEY
OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO. QTY	DESCRIPTION		PART NO	D. QTY.	DESC	RIPTION
		<u>.</u>				All polen to
Group - 4	12V 20A Alternator					\$2.5
				e i julij.		
Sec. 1						在196 第786章
510-0015 5	-Ball, Fly - Governor			·		
332-0556 1	Connector - Stator			·		
332-1497 1	Terminal - Stator					
167-0188 2	Clip - Gearcase (1) a	and Oil 🐪				· -
	Fill Tube (1)			***		
150-0755 V	Arm, Extension - From	t Pull				٠.
142-0431 1	Carburetor *	A STATE				
155-0510 1	Muffler, Exhaust		j '	•		
154-0360 2	Gasket, Muffler	1		* * * * * * * * * * * * * * * * * * * *		
150-0698 1	Spring, Governor			e e		14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·	
* - Standard Key	3 and 4 carburetor use	d.		· •	-	2
Breakdown in			Į			

CCK-MS

3343J

FOR STANDARD PARTS REFER TO CATALOG 927-0253 KEY NOPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

St0=0015 5 Ball, 167-0188 2 Clip		<u> </u>	•				
167-0188 2 Clip	5A Alternator ounted Engine Control						
167-0188 2 Clip			4	-			· <u>-</u>
167-0188 2 Clip	Fly - Governor			<u></u>		<u>*</u>	•
Oil	- Gearcase (1) and					- '	i
O11	Fill Tube (1)	- F					
150-0635 1 Arm, 1	Extension - Rear Pull 🗼					2	Ø.
502-0020 1 Elbow	, Oil Line - Block			•			. •
/ to 0	il Line						
134-2878 1 Housi	ng, Blower						*
338-0565 1. Harne	ss Assembly *		٠,				
508-0084 1 Gromm	et - Blower Housing						•
150-0698 1 Sprin	g, Governor						•
				. *			
						,	

SPECIAL PARTS LIST FOR MODEL _____CCKA-MS

3345J

FOR STANDARD PARTS REFER TO CATALOG 927-0253 KEY NO. OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO. QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
				*
-Group - 6	Flywheel Alternator	•		
or out	(Phelon)			
Group - 27	Variable Speed Governor	,		
Group - 32	Full Flo Oil Filter			
*				
			* · · · · · · · · · · · · · · · · · · ·	
110-1860 .1	Block Assembly, Cylinder			
104=0880 - 1	Crankshaft	•		
105-0238	Camshaft			·
134-2897 I	Housing, Blower			
308-0355 1	Switch, Start/Stop	er e		
153-0097	Cable, Choke			
134-2621 4.1 134-2760 4.1	Flywheel Housing, Cylinder Air RH		£	
134-2760 134-2760 14 14 15 15 15 15 15 15 15 15 15 15 15 15 15	Clip	•		
107-0188 151,5-0230 1	Key, Crankshaft		Market Co.	•
J. 33-0230 I	Rey, Grame,	e L	· i	#6
<u></u>			A Section 1997	
. Parts Not Furnishe	d by Onan	. , , , , , , , , , , , , , , , , , , ,		

FOR STANDARD PARTS REFER TO CATALOG 927-0253 KEY NO OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

	PART NO.	QTY.	DESCRIPTION		PART	NO. GTY.	DES	CRIPTION
	Group - 31 Group - 32	**	Clutch Spin-On Oil Filter					
	Group - 35		Readi-Pull Starter -	<u>-</u>		A.		
	104-0913 134-3406 313-0018	1 .1 .1	Crankshaft Housing, Blower Button, Stop				is a second of the second of t	
:	110-1860 134-2237	1	Block Assembly, Cyli Housing, Cylinder Ai			, 44 - 1		

CCKA-MS

SPEC

3350J

FOR STANDARD PARTS REFER TO CATALOG

927-0253

KEY NO.

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO.	OTY.	DESCRIPTION		PART NO.	QTY.	DESCRIPTION
Group - 6		Flywheel Alternator		*		
		(Phelon)	\\ .		• transitation († 1865) Ortonomia	
Group - 32	Mark to the	Full-Flo Oil Filter			· · · · · · · · · · · · · · · · · · ·	
		***************************************		•		17 (17 m) 17 (17 m) 18 (17
110-1860	1	Block Assembly, Cylinder				
104-0880	1	Crankshaft				
515-0230	-1	Key, Crank s haft		∴ .s.		
-105-0238	1 Sec.	Camshaft		: .		
167-0188	1	Clip			98 1 1 1	
134-2621	1	Flywheel "Housing, Cylinder Air RH] *	and the second second		
134-2760 150-0635	. <u>1</u> 1	Bracket, Governor Arm	.			
150-0096	1 1.	Stud, Governor	ĺ		· · · · · · · · · · · · · · · · · · ·	
150-0621	1	Nut, Governor		Mag.		,
150-0698	. 1	Spring Governor				
134-2734	. 1	Housing, Blower	1		•	
				* .		

Parts Not Furnished by Onan Spark Advance and Associated Parts

CCK-MS

SPECIAL PARTS LIST FOR MODEL

FOR STANDARD PARTS REFER TO CATALOG 927-0253 KEY N
OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO. QTY.	DESCRIPTION *	PART NO.	OTY.	DESCRIPTION
N The state of the				
Group - 28	'op Mounted Control Panel	The second second		
	*			
502-0020 1 1 i	lbow, Oil Line		\$ 100 miles	
150-0098 1 9	Spring, Governor			•
150-1000 ₈ 1 F	form, Governor Extension	, 4 .		
`* 150-*0621	lut, Governor Ştud	(4	· •	<i>" : </i>
508-0084	rommet, Rubber			The state of the s
301-4376 * 1 F	Bracket, Engine Contròl			, in the second
308-0140 1 8	Switch, Toggle			
332-0592 1 3	Jumper, Ground		*	¥.
338-0565 1 1	Harness, Wire	*		6 5 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
134-2878 1 1	lousing, Blower		ar a	•
515-0202 1 I	Key, Crankshaft	•		. , _ /
			4	



CCKA-3MG 3358J SRECIAL PARTS LIST FOR MODEL SPEC FOR STANDARD PARTS REFER TO CATALOG 927-0253 KEY NO. OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED. PART NO. QTY. DESCRIPTION PART NO. DESCRIPTION Group - 6 Flywheel Alternator (Phelon) Group - 29 3.3:1 Gear Reduction 104-0905 Crankshaft 167-0188 Çlip, Stator Lead Flywheel 134-3019 105-0238 Camshaft

SPECIAL PARTS LIST FOR MODEL CCKA-MF

3359J

i.	31	FOF	a [*] ST	AND	ARD P	ARTS	RFFFR	TO CA	TAL OG	927-0)253	KE	YN
:: <u>4</u>	. i. i.	is at Mi			· re sitti	1 4 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A			T 1 3 . 5 M.	NO. BEL	1.1	7	
	Ο Ι	1014	~- ~	noore	9 111 CA	INLUG	MILE FI		UNCUT	INO. DEL	ON WILL	"IA OOF	

PART NO.	QTY.	DESCRIPTION	PART NO. QTY.	DESCRIPTION
Group - 6		Flywheel Charging		
T. P.		Alternator (Phelon)	보이다. 보이 생활하는 생각	
Group - 28		Top Mounted Engine Cont	rol .	
Group - 31		Clutch		
in two properties. Two controls is a second of the control of the				
			and the second second	
104-0913	1	Crankshaft	· · · · · · · · · · · · · · · · · · ·	
105-0238	1	Camshaft		
167-0188	2	Clip	*	
150 -9 635	\cdot : 1 \cdot \cdot	Bracket, Governor Sprin	g ' '	
150-0698	1	Spring, Governor		
505-0329	1	Cap, Pipe (Left End)		
155-1083	1	Muffler, Exhaust		
154-0360	2	Gasket, Exhaust		
134-2878	1 - ,	Housing, Blower		•
338-0565	1	Harness, Start	-an-	5
308-0140	$^{\prime}$ $\cdot 1$	Switch, Toggle (Start)	•	
301-4376	1	Bracket, Engine Control		
332-0592	1	Jumper, Ground		

Parts Not Furnished by Onan Spark Advance and Associated Parts.

CCKA-MS

SPEC

3370J

FOR STANDARD PARTS REFER TO CATALOG 927-0253 KEY NO.

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

Car and San	PART NO. GTY.	DESCRIPTION	PART NO. QTY.	DESCRIPTION
ではないのでは、一次の方は こうない ころかれる	Group 4	Flywheel Alternator (Syncro)		
The second	105-0238	Camshaft		
	134-2887 1 154-0356 1	Flywheel Manifold, Intake		
	502-0395 1 153-0249 1	Connector, Hose Bracket, Choke		
	518-0006 1 155-0510 1	Clip, Choke Cable Muffler, Exhaust		
	155-0360 2 150-0755 1	Gasket, Exhaust Muffler Arm, Governor - Front		
•	150-0096 1	Pull Stud, Governor		
	150-0698 1 515-0202 1	Spring, Governor Key, Crankshaft		_ .
٠.		,,	-	

Parts Not Furnished by Onan Spark Advance and Associated Parts

CCKA+S

FOR STANDARD PARTS REFER TO CATALOG 927-0253

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO.	QTY.	DESCRIPTION	PART NO. QTY.	DESCRIPTION
Group - 1	÷	High Profile Ignition		
		Breaker Box		
Group - 20		Carburetor - Adjustable		
		Main Jets		
110-1418	1	Block Assembly, Cylinder		
104-0882	1.	Crankshaft		
515-0006	1	Key, Crankshaft		
113-0088	2	Ring Set, Piston		
150-1000	1	Arm, Governor Extension		
515-0002	1	Key, Flywheel		
134-1579	1	Housing, Blower		
517-0021	1	Plug, Dot Button		
517-0009	. 1	Plug, Dot Button		
154-0802	- 1	Manifold, Intake		
505-0008	. 1	Plug, Pipe		•
153-0249	1 .	Bracket, Choke		
502-0395	. 1	Connector, Hose		•
518-0176	1	Clip, Cable		•
518-0006	1	Clip		
153-0351	1	Cable, Choke		Section 1997
140-1348	1	Base, Air Cleaner		***
123-1284	. 1 *	Tube, Breather		
503-0171	1	Clamp, Hose		
150-0979		Rod, Governor Control		
	-	to Carb.		
503-0189	1	Clamp, Air Cleaner		
			1	e village i de la companya de la co

Parts Not Furnished by Onan Stop Button

CCKA-MS/

3**3**73J

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Group /- 1		High Profile Breaker Box			
Group - 20		Carburetor with Adjustable			
i T ea I		Main Jets		* 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Group - 27		Variable Speed Governor			Paragraphic state of the state
	•				
	: .				
110-1418	1	Block Assembly, Cylinder		· · · · · ·	
515-0006	1	Key, Crankshaft			
105-0285	1	Camshaft			
510-0015	$\frac{10}{}$	Flyball, Governor			
153-0351 154-0802	** <u> </u>	Cable, Choke	er en		
502-0395	1	Manifold, Intake			
505-0008	1 1	Connector, Hose Plug, Pipe			6
153-0263	1 4	Bracket and Clamp, Choke			
140=1348		Tube, Breather			
503-0171	. 1	Clamp, Hose			No.
		51amp, 17650			
			•		
		in the second of			
				•	
•	•		Ŧ		
•					
			-,		•
ſ		•			
				•	
	-	· ·			

___ SPEC

3380J

FOR STANDARD PARTS REFER TO CATALOG 927-0253

KEY NO.

DESCRIPTION

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO.	QTY.	DESCRIPTION	PART NO
Group - 6		12V 15 Amp Flywheel	
		Alternator	
Group - 18		Gas-Gasoline Carburetor	
Group - 28		Top Mounted Engine Control	
517-0048	1	Plug, Expansion	
105-0238	1	Camshaft - Includes Center	
		Pin	
150-1421	1 2	Shaft & Arm Assy Gov.	
167-0188.	. 2	Clip - Gearcase (1) and Oil	
		Fill Tube (1)	:
134-2878	. 1.	Housing, Blower	
308-0140	1	Switch, Toggle	1.0
332-0592	1	Strap, Ground - Switch	
301-4376	1	Bracket, Engine Control	* <u>\$</u> 5
3 3 8-0565	1	Harness, Start	٠, ٧
508-0034	1	Grommet, Blower Housing	المام
142-0458	· 1	Carburetor *	
148-0147		Pipe, Carburetor Inlet	
134-2760	i	Housing, Cylinder Air - RH	·
502-0020	ľ	Elbow, Oil Line to Block	* 27 jt
142-0420	1		\$4
313-0103	1	#Screw, Mach. Rd. Hd	·
		Choke Fly Mrg.	
		$(10-32 \times 3/4)$	
152-0155	. 1	#Swivel, Choke	. :
815-0104	1	#Screw, Fillister Hd. Mach	41
		Swive1 $(8-32 \times 5/16)$	
516-0059	. 1	#Lock, Hair Pin - Swivel Mtg.	• •

⁻ Same as carburetor listed in Group 18 using Key 1 and 2 except parts marked #.

Parts Not Furnished by Onan
Spark Advance Mechanism

CCKA-MF

3385J

SPECIAL PARTS LIST FOR **MODEL**FOR STANDARD PARTS REFER TO **CATALOG** 927-0253

KEY NO.

 The second secon		المساورة المتحريفيان وأموطهم بمطارع والمواد	المتاريخ والمستركزة والمستركزة والمستركز والمستركز والمستركزة	and the state of t	A process of the second to the		
CILITITION	(CDM) IDC	IN CATALOG AR	C LLOTER BX	, ^_^\\\		ABLE BONGET BLOOM PROPERTY.	1.77
OFIGURAL	110111173	114 L. O. I. O. I. I. I. W. D. M.	P	TARELLE AND	M - 1 / 1 / 1 / 1 / 1 / 1		
		"" WOINEVE AII		CITOUR HO	. DELUII		

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Group - 8 Group - 31 Group - 34		Left Side Mtd. Alternator Clutch Vacu-Flo Cooling			
104-0913 517-0048 105-0238	1 1 1	Crankshaft Plug, Expansion Camshaft - Includes Center			
102-0791 191-1113	1	Pin Base, Oil Brace, Alternator			
104-0302 526-0017 134-2795	1	Flywheel, Includes Gear Washer, Flywheel Mtg. Housing, Blower			
	1 1 2	Plug, Dot Button - 1-1/16" Muffler Gasket, Muffler			
505-0618 134-0753	1	Cap, Muffler Wheel, Blower		· · · · · · · · · · · · · · · · · · ·	
	`				

Parts Not Furnished by Onan Spark Advance Mechanism

SPEC FOR STANDARD BARTS REFER TO CATALOG 927-0253

PART NO.	QTY.	DESCRIPTION	PART NO	OTY.	DESCRIPTION	a
					医皮肤 深格 医位氏	
Group - 6		12V 15 Amp Alternator				
Group - 28		Top Mounted Engine Control		le de la companya de		
Group - 32	198 1 (1981)	Spin-On Oil Filter -				
						ጎ
					,	
110-1860	1	Block Assembly, Cylinder				
517-0048	1	Plug, Expansion				i
105-0238	1	Camshaft - Includes Center				Sec.
		Pin	• -		- -	
110-0893	4	Washer, Valve Spring	*			
		Retainer		:		
150-1421	1	Shaft & Arm Assy.				
149-0136	. 1	Cover, Fuel Pump Hole				v
167-0188	2	Clip, Gearcase (1) and Oil				٠
	·-· · · · ·	Fill Tube (1)				
134-3376	1	Housing, Blower	, .			
308-0140	1	Switch, Toggle				
332-0592	1	Strap, Ground - Switch				
301-4376	1	Bracket, Engine Control				
338-0565	. 1	Harness - Start			. -	*
502-0020	1	Elbow, Oil Line to Block				
502-0039	1	Elbow, Carburêtor			5	
	10 m		,			
~150-0979 [*]]	1	Link, Governor		A STATE OF STATE OF		
_1-34-2760 ^{**}	. 1.	Housing, Cylinder Air RH				
145-0316	1	Ring, Adapter - Carburetor	,		•	r
148-0690	. I	Line, Fuel - Reg. to Carb.	; .			
502-0039	1	Elbow, Regulator				
148-0465	1	Regulator	1		•	
505-0099	\sim 1	Nipple, Close - Reg. Inlet				
502-0183	, I	Elbow, Vaporizer Inlet		•		
148-0688	. 1	Bracket, Vaporizer Mtg.				
148-0418	. 1	Vaporizer				
141-0647	1	Carburetor (Available parts				
	•	are marked #),				
141-0653	1.	#Kit, Repair (Includes				1.
		Parts Marked *)		***		
141-0650	2 #	*Retainer, Shaft Seal				
141-0651		*Seal, Throttle Shaft				
141-0652		*Kit, Gasket (Includes			And the second second second	_ :
		Parts Marked **)	.			
141-0078	1#*	*Gasket, Flange	1 6			
141-0648		*Gasket, Metering Block				
141-0649	1#*	*Gasket, Adapter Plate				
Parts Not 1	Furnish	ed hy Onan				
		dvance Mechanism	1			
장기사리기						
40 さいたい こんしょ	*	and the state of t			And the second of the second of the second	y /

CCK-MS

DEC 3397.

			DARD PARTS				
PART NO.	OTY.	AL GROU	PS IN CATALOG		PART NO.		DESCRIPTION
	7		Jeoonii Mon				
Group - 6		12V 15	Amp Flywheel	Δ1+		불강한 왕은 교수	
jroup - o		12, 13	Amp 1 Lymneer				
150 1800	Alan ing sa Ma ng ma ngga	C)	223 424 78242				
150-1422 167-0188	1 2	Clip.	and Arm Assy. Stator Leads	- Gear-			
		case	(1) Fill Tube	(1)			
336-2192	4/	Lead,	Alternator Ou	tput			
	· . ·						
		v' *			X.c.		
. 9	: .		•				
Ŋ						:	
•	٠.	:				•	
	-					•	•
is the second se							
	•			·			
			4			en la companya di santa di sa Santa di santa di sa	
	٠.			*			
	4- 30						· · · · · · · · · · · · · · · · · · ·
	100	*	•				
	•				•	y	
				 			l.
			- Tay:	*		ji se	
•	•	•					
· .							
		•				* * * * * * * * * * * * * * * * * * *	
	•	:					
er er		w ·					-
`.		e .					

CCKA-MS

SPECIAL PARTS LIST FOR MODEL

SPEC

)4U/J - *

FOR STANDARD PARTS REFER TO CATALOG 927-0253

KEY NO.

OPTIONAL GROUPS IN CATAROG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO.	QTY.	DESCRIPTION		PART NO.	дтү.	DESCRIPTION
Group - 6 Group - 32		12V 15Amp Flywheel Alt. Spin-on Oil Filter	-40			
110-1860 517-0048	1 1	Block Assembly, Cylinder Plug, Expansion	-			
105-0238 167-0188	2	Camshaft-Includes Center Pin Clip, Stator Lead-Gear Case (1) And Oil Fill Tube (1)	, .	i		
150-0635 134-2734 155-1083	1 1 1	Arm, Extension-Governor Housing, Blower Muffler, Exhaust			***	
505-0618 154-0360 134-2760	1 2	Cap, Muffler Gasket, Muffler Housing, Cylinder Air-RH			· -	
150-0698 336-2192	. 1	Spring, Gov . Speed Adj. Lead, Output		nd.	4	
150-1421	1	Shaft and Arm Assy-Gov.			• .	

Parts Not Furnished by Onan Spark Advance Mechanism

CCKA-MS

SPEC

3451J

FOR STANDARD PARTS REFER TO CATALOG_

927-0253

KEY NO.

DESCRIPTION

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO BELOW WHEN USED.

	PART NO.	QTY.	DESCRIPTION	PART NO. QTY.
1:				
 : .	Option -	6	Flywheel Alternator	
[.:		*	(Phelon - 15 Ampere)	
	Option -	28	Control (Engine)	
;	Option -	36	Choke (Sisson)	
٠,				
	104-0880	1	Crankshaft	
	517-0048	1	Plug, Expansion - Camshaft	
•			Opening In Block	
	105-0238	_ 1	Camshaft (Includes Center Pin)	
	150-0075	1	Pin, Camshaft Center	
	323-0853	1	Body, Alternator Stator	
٠.		`	Leads Connector	
÷	134-3019	1	Flywheel (Includes Ring Gear)	2.
	134-0673	1	Gear, Ring - Flywheel	'' . <u></u>
	502~0020	1	Elbow, Street - Oil Line To	
_			Cylinder Block	
-	134-2995	$ \sqrt{1}$	Housing, Blower	
	301-4376	1	Bracket, Engine Control	
	308-0140	1	Switch, Start-Stop (Toggle)	
	508-0084	1	Grommet, Rubber - Blower	·
			Housing (1½" Hole)	
	153-0460	1	Link, Choke To Carburetor	
:	154-1909	1	Manifold, Exhaust	
	. 505-0329	1 1	Cap, Pipe - Exhaust Muffler	
	154-0360	2	Gasket, Exhaust Muffler	
			Mounting	
	167-0188	2 -	Clip, Alternator Stator Leads	
			•	

Parts Not Furnished By Onan Spark Advance

SPECIAL PARTS LIST FOR MODEL _____CCKA-MS

FOR STANDARD PARTS REFER TO CATALOG 927-0253

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO.	ΩТ	Y. DESCRIPTION		PART NO.	QTY.	DESCRIPTION
0-64	I-	Tandad				
Option -	£	Ignition Breaker Box		150-0425	. 1	Gasket, Vacuum Booster
0	•	(High Profile)				Mount ing
Option - 20	,	Carburetor (Gasoline,		150-0475	1	Spring, Vacuum Booster I
0	,	Adjustable Main Jet)		150-0430	1	Clip, Vacuum Booster Spi
Option - 3		Vacu-Flo Cooling (9 0'Clock)	l	155,-0903	1	Muffler, Exhaust
Option - 30) .	Choke (Sisson)	^ }	154-0360	2	•Gasket, Exhaust Muffler
710 0010				104-0302	1	Flywheel (Includes Ring
110-2 943	1			134-0673	1	Gear, Ring - Flywheel
	· :	(Refer To Standard Cylinder		134-0753	1	Wheel, Blower
A Principal Control		Block For Components, Except	"	134-2795	1	Housing, Blower
		Parts Marked *)		517-0035	1	Plug, Dot Button - Blowe
517-0048	1	*Plug, Expansion - Camshaft				Housing Timing Hole
		Opening In Block		134-3070	- 1	Scroll, Air Discharge
110-1000	2	*Insert, Intake Valve Seat	•	,,,,,,,	· ·	(Includes Guard)
		(Available In .010 And		134-2956	1	Guard, Scroll Outlet
		.025 Oversize)	İ	-5,1 2550		oddid, beloif odelet
101-0390	1	Plate, Bearing - Rear		Parts Not	Furnic	hed By Onan
104-0882	1.	Zrankshaft		Air Cle		ned by Onany
105-0238	1	Camshaft (Includes Center Pin)		and the second second	dvance	•
150-0075	1	Pin, Camshaft Center		Spark A	uvance	
110-1037	2	Valve, Intake			•	•
110-0904	4	Rotocap, Valve Spring Retainer		•		
123-0531	1	Tube, Oil Fill	١ ،	٠.		***
123-0018	ī	Cap And Indicator, Oil Fill				2 (1-40k-
,	_	(Includes Gasket)		•	•	
123-0191	1	Gasket, Oil Fill Cap				
503-0479	1	Hose, Breather				
503-0170	1			•		
202-0110	1	Clamp, Breather Hose To Air		•		
E02 0171	. 1	Inlet (5/8")	1	• •		
503-0171	1.	Clamp, Breather Hose To	ľ	:		
1/5 0507	:	Breather Valve (11/16")	•			
145-0507	1.	Inlet, Carburetor Air	i			
140-0211	1	Sleeve, Air Cleaner Hose	İ	•		
503-0280	1.	Clamp, Air Inlet To Sleeve		•		
503-0107	1	Clamp, Air Inlet To Carburetor	Ī			
154-0383	1	Manifold, Intake				
150-1466.	1	Booster, Vacuum (Includes			:	
		Parts Marked #)	ŀ		1	
150-1352	_ 1,	#Pin, Vent				
150-0668	1	#Gasket, Diaphragm Plate	*			
150-0666	1	#Plate, Diaphragm			• •	· · · · · · · · · · · · · · · · · · ·
150-1465	1	#Diaphragm	(~		•	
<u> 150-04万</u>	. 1	#Spring, Diaphragm Arm	الج	, V		

#Bracket, Diaphragm Arm Spring

167-0188 2 Clip, Alternator Stator Leads 134-3019 1 Flywheel (Includes Ring Gear) 134-0673 1 Gear, Ring - Flywheel 502-0020 - 1 Elbow, Street - Oil Line To

Pin)

Camshaft (Includes Center

Pin, Camshaft Center

Body, Alternator Stator Leads Connector

Cylinder Block
134-2878 1 Housing, Blower
508-0084 1 Grommet, Rubber - Blower
Housing (1½" Hole)
152-0170 1 Lever, Throttle Control

308-0140 1 Switch, Start-Stop (Toggle)
301-4376 1 Bracket, Engine Control
338-0565 1 Harness, Wiring - Start-Stop

Parts Not Furnished By Onan Spark Advance

105-0238

150-0075

323-0853

SPEC

FOR STANDARD PARTS REFER TO CATALOG 927-0253 KEY I OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

	PART NO.	QTY.	DESCRIPTION **		PART NO.	QTY.	DESCRIPTION
報の情報を	Option - 6	•	Flywheel Alternator	'			
	Option - 28		(Phelon - 15 Ampere) Control (Engine)				
(4)	134-3019	1	Flywheel (Includes Ring Gear)				· · · · · · · · · · · · · · · · · · ·
- 7	134-0673	1	Gear, Ring - Flywheel				•
Į,	323-0853	1 :	Body, Alternator Stator	#	,	e-	
:	•		Leads Connector] "			ь .
!	152-0170	1	Lever, Throttle Control				•
	134-2878	1	Housing, Blower				
	301-4376	1	Bracket, Engine Control			į	
1	508-0084	1	Grommet, Rubber - Blower		:	*	
			Housing (1½" Hole)		•		,
÷	502-0020	1	Elbow, Street - Cylinder	Ί.			
			Block To Oil Line (90°)				
	308-0140	1	Switch, Toggle - Start-Stop				. *
-	338-0565	1	Harness, Wiring (Start)]			,
	e e e e e e e e e e e e e e e e e e e				:	,	

CCKA-MS

PART NO.

FOR STANDARD PARTS REFER TO CATALOG 927-0253

DESCRIPTION

DESCRIPTION

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

Option - 4	Flywheel Alternator
	(Syncro - 20 Ampere)
105-0238 1	Camshaft (Includes Center
	Pin)
150-0075 1	,
_517 - 00481	Plug, Expansion - Camshaft
	Opening In Block
167-0188 2	Clip, Alternator Stator Leads
134-2887 1	Flywheel (Includes Ring Gear)
134-0673 1	Gear, Ring - Flywheel
150-0635 1	Bracket, Governor Speed
	Adjusting Stud
150~0698 1	Spring, Governor Speed
155- 0860 - 1	Muffler, Exhaust
154-0360 1	Gasket, Exhaust Muffler

Mounting

Parts Not Furnished By Onan Spark Advance

QTY.

PART NO.

SPECIAL	PARTS	LIST F	OR M	ODEL

SPEC

FOR STANDARD PARTS REFER TO CATALOG OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

KEY NO.

					The state of the s	The second of th		
	1		the state of the s			the fact of the second		Company of the Compan
٠	District Control of the Control of t	~~~				1 C. C. C. C. C. C. C. C. C. C. C. C. C.	0.22 8.22 December 11 10 10 10 10 10 10 10 10 10 10 10 10	
	PART NO.	(11Y	DESCRIPTION			RT NO:		DESCRIPTION
- 1	F M D 1 141.		I JESUSIPI II IN	L		A		TIPSI MIDITIN
. 3						NI 110.	Marie Committee	
	the property of the contract o	and the second s	the state of the s					

Option -	6		Flywheel Alternator
			(Phelon - 15 Ampere)
Option'-	32	- :	Spin-On Oil Filter
		· .	
110-1860	1.15	Ţ	Block Assembly, Cylinder
			(Refer To Standard Cylinder
			Block For Components,
			Except Parts Marked *)
-517-0048		1	*Plug, Expansion - Camshaft
## The second second			Opening In Block
105-0238		1	Camshaft (Includes Center -
			Pin)
150-0075		1	Pin, Camshaft Center
323-0853		1	Body, Alternator Stator
			Leads Connector
150-0635		ì	Bracket, Governor Speed
			Adjusting Stud
150-0698		1	Spring, Governor Speed
134-3216		1	Housing, Blower
134-2760	ø	1	Housing, Cylinder Air -
			Right Side
154-1909		1	Manifold, Exhaust
505-0329		1	Cap, Pipe - Exhaust Manifold
154-0360		2	,Gasket, Exhaust Manifold
			_Mounting
			~ ,

Parts Not Furnished By Onan Spark Advance

SPECIAL PARTS LIST FOR MODEL CCK-3G 3472J FOR STANDARD PARTS REFER TO CATALOG_ OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW QTY. **DESCRIPTION** PART NO. PART NO. DESCRIPTION Option - 27 Variable Speed Governor Control Option - 29 Reduction Gearbox (Right Side Horizontal, 3.3:1) 503-0744 Line, Fuel Pump To Carburetor

SPECIAL PARTS LIST FOR MODEL ______CCKA-MS

3480J

FOR STANDARD PARTS REFER TO CATALOG_

KEY NO.

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO BELOW WHEN USED.

105-0238 1 Camshaft (Includes Center Pin) 150-0075 1 Pin, Camshaft Center	PART NO. QTY.	DESCRIPTION	PART NO. QTY.	DESCRIPTION
Pin)				
Pin)	105-0238 1	Complete (Tooludes Comme		
de la companya de la companya de Millon de la companya de la companya de la companya de la companya de la comp	103-0230			****
	150-0075 1	and the second s		
517-0048 1 Plug, Expansion - Camshaft				
Opening In Block	317 0040		*	• • • • • • • • • • • • • • • • • • •
123-0791 1 Tube, 0il Fill	123-0791 1			
123-0764 1 Cap And Indicator, Oil Fill		n e e e e e e e e e e e e e e e e e e e		
(Includes Gasket)				
123-0191	123-0191 1			•
503-0479 1 Hose, Breather	503-0479 1	-		-
503-0170 1 Clamp, Breather Hose To	503-0170 1	Clamp, Breather Hose To		
Air Inlet (5/8")	· · · · · · · · · · · · · · · · · · ·	Air Inlet (5/8")		
503-0171 1 Clamp, Breather Hose To	503-0171 1	Clamp, Breather Hose To		
Breather Valve (11/16")				$\mathcal{L}_{i} = \{ (i,j) \mid i \in \mathcal{L}_{i} = \{ (i,j) $
503-0107 1 Clamp, Carburetor Air Inlet		Clamp, Carburetor Air Inlet		
145~0507 l Inlet, Carburetor Air				
140-0211 l Sleeve, Air Cleaner Hose				• *
503-0280 1 Clamp, Air Inlet To Sleeve				\$
503-0464 1 Hose, Air Cleaner		•		
503-0280 2 Clamp, Air Cleaner Hose	· ·	- ·		
140-0736 1 Cleaner, Air	140-0/36 . 1	Cleaner, Air		

Parts Not Furnished By Onan Spark Advance

	AL PA			

CCKA-3MO

SPEC

3483J

FOR STANDARD PARTS REFER TO CATALOG_

927-0253

KEY NO.

DESCRIPTION.

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO.	QTY.	DESCRIPTION	PART NO. QTY.
Option -	6	Flywheel Alternator	
		(Phelon - 15 Ampere)	
Option - :	28	Control (Engine)	
Option -		Reduction Gearbox (Right	
		Side Horizontal - 3.3:1)	
517-0048	1	Plug, Expansion - Camshaft	
		Opening In Cylinder Block	
105-0238	1	Camshaft (Includes Center	
	· ·	Pin)	, ,
150-0075	1	Pin, Camshaft Center //	5
502-0020	1	Elbow, Street - 0il Line To	
		Cylinder Block	
134-3019	, 1,	Flywheel (Includes Ring Gear)	
134-0673	1	Gear, Ring - Flywheel	
323-0853	1-16	Body, Alternator Stator	
i i i i i i i i i i i i i i i i i i i		Leads Connector	
167-0188	2	Clip, Alternator Stator Leads	· ·
134-2878	1	Housing, Blower	
301-4376	1	Bracket, Engine Control	
308-0140	1	Switch, Start-Stop (Toggle)	
338-0565	1	Harness, Wiring - Start-Stop	<u>-</u>
152-0170	1	Lever, Throttle Control	
508-0084	1	Grommet, Rubber - Oil Line	
		Through Blower Housing	
	- `	(1½" Hole)	
155-1083	2	Muffler, Exhaust	
505-0618	1 -	Cap, Pipe - Exhaust Muffler	3.
154-0360	2	Gasket, Exhaust Muffler	
•		Mounting	: .

Parts Not Furnished By Onan Spark Advance

CCK-MS

FOR STANDARD PARTS REFER TO CATALOG 927-0253

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

	PART NO.	QTY.	DESCRIPTION		PART NO.	QTY.	DESCRIPTION
	Option -	6	Flywheel Alternator				
	operon -	.0	(Phelon - 15 Ampere)	. V			
; ;	Option -	32	Spin-On Oil Filter				
	Option -	1."	Choke (Sisson)		Maria de la composición del composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la composición de la co		
<u> </u>	110-1885	1,	Block Assembly, Cylinder				
f .			(Refer To Standard Cylinder	- 1			
y.			Block For Components,				
(4)-			Except Parts Marked #)				
	110-1827	2	#Guide, Valve - Intake	···		*	
ži.	110-1000	2	#Insert, Intake Valve Seat				
Ç			(Available In .010 And .025 Oversize)				
Ž	110-1037	2	Valve, Intake			·—- ·	
	110-1037	4	Rotocap, Valve Spring	,			
<u>. </u>			Retainer - Intake-Exhaust				
	509-0090	2	Seal, Valve Stem - Intake			·•	4 €#
•	104-0882	1	Crankshaft				
	193-0108	. 1	Sender, Oil Pressure	•			
	502-0053	1.	Elbow, Street - Oil Pressure	. ,	,		
		-	Sender (45 ⁰)		. •		
2	134-3019	. 1	Flywheel (Includes Ring Gear)				
,	134-0673	1	Gear, Ring - Flywheel				
٠.	323-0853	1	Body, Alternator Stator				
	10/ 070/	4	Leads Connector	ŀ	**		
	134-2734 134-2760	$\frac{1}{1}$	Housing, Blower Housing, Cylinder Air - Right	ľ			
	153-0460	. 1 .	Link, Choke To Carburetor			n de la companya de la companya de la companya de la companya de la companya de la companya de la companya de La companya de la co	
	154-1909	. 1	Manifold, Exhaust		· · ·	•	
	154-0360	2	Gasket, Exhaust Manifold			& .	
:	505-0329	1	Cap, Pipe - Exhaust Manifold				e ¹
÷	515-0006	$\tilde{1}$	Key, Crankshaft Stub				
:		_					
	•.						
	•			[9	enga tanggaran kalanggaran kalanggaran kalanggaran kalanggaran kalanggaran kalanggaran kalanggaran kalanggaran

SPECIAL PARTS LIST FOR MODEL CCKA-MS SPEC 3499J
FOR STANDARD PARTS REFER TO CATALOG 927-0253 KEY NO. 4
OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO. QTY. DESCRIPTION PART NO. QTY. DESCRIPTION

	<i>;</i>	
Option -	6	Flywheel Alternator
		(Phelon - 15 Ampere)
Option - 2		Variable Speed Governor
	• .	Control
517-0048	1	Plug, Expansion - Camshaft
		Opening In Block
105-0238	1	Camshaft (Includes Center Pin)
150-0075	1 -	Pin, Camshaft Center
323-0853	1	Body, Alternator Stator Leads
		Connector
167-0188	2	Clip, Stator Leads
134-3019	1	Flywheel (Includes Ring Gear)
134-0673	1	Gear, Ring - Flywheel
155-1253	1	Muffler, Exhaust
154-0360	2	Gasket, Exhaust Muffler
•		Mounting
505-0618	1 -	Cap, Pipe - Exhaust Muffler

Parts Not Furnished By Onan Spark Advance

A				
SPECIAL		10-		
>PF(14)	PARISI	1941 14 (16.0	mnei.
			/F3 IV	IUULL

CCK-MS

SPEC

FOR STANDARD PARTS REFER TO CATALOG 927-0253 KEY NO. OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Option -	8	Alternator (Automotive Type,			
	-	Left Side Mounted)			
Option -	18	Gas-Gasoline Carburetor			, in the state of
Option -	28	Control (Engine)			
Option -	36	Choke (Sisson)			
• .				Sacret Sacret	
102-0791	. 1	Base, Oil			
134-0675	1	Flywheel (Includes Ring Gear)			No. 1
134-0673	1	Gear, Ring			
502-0020	1	Elbow, Street - Cylinder			
		Block To Oil Line (90 ⁰)	·	•	
154-0360	2	Gasket, Exhaust Muffler		• •	
155-1253	. 1	Muffler, Exhaust			
505-0618	_ 1	Cap, Pipe - Muffler (1½")			
148-0147	. 1	Pipe, Fuel (Gas)	,		
<u>5</u> 02-0002	1	Elbow, Inverted Male			7
•		(Gasoline Fuel Inlet)			
153-0460	. 1	Link, Choke To Carburetor	j '		
515-0006	1	Key, Crankshaft Stub			
134-3192	1	Housing, Blower			La Company
152-0170	1	Lever, Throttle Control			
301-4376		Bracket, Engine Control			•
302-0062	1	Ammeter (DC)			
308-0140	1	Switch, Toggle - Start-Stop			
338-0565	1	Harness, Wiring (Start)		· · · · · · · · · · · · · · · · · · ·	
338-0411	1	Harness, Wiring (Alternator			
E00 0007	-1	To Control)			• •
508-0084	,I.	Grommet, Rubber - Blower			
		Housing (1년" Hole)			
3		**		•	

3509J

FOR STANDARD PARTS REFER TO C

PART NO.	QTY	DESCRIPTION	F	PART NO.	QTY.	DESCRIPTION
- :			: 1			in the state of th
	•	Samuel Samuel Samuel Samuel Samuel Samuel Samuel Samuel Samuel Samuel Samuel Samuel Samuel Samuel Samuel Samuel		140-0736	1	Cleaner, Air
Option -		Spin-On Oil Filter		502-0313	1	Elbow, Barbed - Carburet
Option -		Vacu-Flo Cooling	• •	30.2 03.23	_	Fuel Inlet
Option =	36	Choke (Sisson)		154-1710	1	Manifold, Exhaust
	_			505-0329	1	Cap, Pipe - Exhaust
110-2375	. 1	Block Assembly, Cylinder				Manifold
		(Refer To Standard Cylinder		154-0360	2	Gasket, Exhaust Manifold
- ' ;	•	Block For Components,		23 0300		Mounting
		Except Parts Marked *)		517-0035	1 -	Plug, Dot Button - Blowe
110-1000	2	*Insert, Intake Valve Seat		347, 0033		Housing Timing Hole
		(Available In .010 And		134-2760	1	Housing, Cylinder Air -
· · · · · · · · · · · · · · · · · · ·		.025 Oversize)		134 2700		Right *
517-0048	- 1	*Plug, Expansion - Camshaft		134-0753	1	Wheel, Blower
		Opening In Block		134-3070	1	Scroll, Air Discharge
105-0238		Camshaft (Includes Center Pin)		134-3070	T	(Includes Guard)
		Pin, Camshaft Center		.134-2956	1	Guard, Scroll Outlet
112-0073	2	Piston And Pin (Available In		,194-2750	1	duard, beroff outler
		.005, .010, .020, .030 And		Parts Not	Furni	shed By Onan
		.040 Oversize)		Spark A		
112-0069		Pin, Piston		Fuel Pu		
112-0003	. 4	Ring, Retaining - Piston Pin	•	Tuck to	111177	
113-0089	2	Ring Set, Piston (Available				
**		In .005, .010, .020, .030				
		And .040 Oversize)		•		
110-1037	. 2	Valve, Intake		•	:	
110-0904	4	Rotocap, Valve Spring				
		Retainer				
102-0878	1	Base, Oil			•	*
123-0286	1	Cover, Oil Base Top Fill		1 42		·
		Tube Opening		The Taylor		
123-0092	1	Gasket, Top Fill Tube Opening				
		Cover				•
123-0531	1	Tube, Oil Fill				
123-0544	1	Cap And Indicator, Oil Fill				
		(Includes Gasket)		4. .		
123-0191	1	Gasket, Oil Fill Cap				S*
309-0237	1	Switch, Low Oil Pressure				
515~0006	1	Key, Crankshaft Stub			•	
₄ 104-0882	1	Crankshaft				
150-1577	1	Bracket, Governor Speed		. *		

503-0479 1 Hose, Breather

503-0170 1

Clamp, Breather Hose To Carburetor Air Inlet (5/8")

503-0171 1 Clamp, Breather Hose To Breather Valve (11/16")

503-0107 1 Clamp, Carburetor Air Inlet 145-0507 1

Inlet, Carburetor Air 140-0211 1 Sleeve, Air Cleaner Hose

503-0280 1 Clamp, Air Inlet To Sleeve

503-0464 • 1 Hose, Air Cleaner

503-0280 Clamp, Air Cleaner Hose

FOR STANDARD PARTS REFER TO CATALOG 927-0253

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO. QTY.	DESCRIPTION	PART NO.	ату.	DESCRIPTION
Optión - 1	Ignition Breaker Box			
operou I	(High Profile)			
Option - 20	Carburetor (Gasoline With			
Operon - 20				
Option - 27	. Adjustable Main Jets)			\mathbf{N}_{i}
Option = 27	Variable Speed Governor			
	Control			
710-1419 1	D32- A	٠,	•	
110-1418 1	Block Assembly, Cylinder	\ \.__________________		
	(Refer To Standard Cylinder			· · · · · · · · · · · · · · · · · · ·
113-0152 2	Block For Components)			
``````````````````````````````````````	Ring Set, Piston			
510-0015 10	Ball, Fly - Governor			the second second
503-0744 1	Line, Fuel Pump To Carburgtor		•	
· ·	Manifold, Intake	14		
505-0008 1	Plug, Pipe - Intake Manifold			•
7	(1/8")			,
153-0351 1	Cable, Choke		• •	•
	Base, Air Cleaner		• * * * * * * * * * * * * * * * * * * *	•
123-1284 1	Hose, Breather		*	A Company
• • .				

SPECIAL PARTS LIST FOR MODEL CCK-MS SPEC 3514J
FOR STANDARD PARTS REFER TO CATALOG 927-0253 KEY NO. 2
OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO. QTY. DESCRIPTION
Option ~ 36 Choke (Sisson)

SPECIAL PARTS LIST FOR MODEL CCK-MS

SPEC

FOR STANDARD PARTS REFER TO CATALOG 927-0253

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO.	* QTY.	DESCRIPTION	PART NO.	оту.	DESCRIPTION
0-4	37				
• Obston -	34	Vacu-Flo Cooling			
ED2 0000					
502-0020	- 5- <b>⊥</b>	Elbow, Street - Cylinder			
501.0015	-	Block To Oil Line			
501-0015	Ţ.	Line, Oil - Flexible			
502-0431	1	Bracket And Tee, Oil Line			
502-0003	1	Connector, Inverted Male -		Service of the service	
il service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and the service and		Oil Jaine To Tee			
505-0057	2	Plug, Pipe - Bracket And Tee			
		(1/8"')			Variable Barrier
150-0635	1	Bracket, Governor Arm		<i></i>	· · · · · · · · · · · · · · · · · · ·
150-0698	. 1	Spring, Governor			*
134-0753	I.	Wheel, Blower			
134-2795	• 1	Housing, Blower		·	
134-3041	1	Scroll, Air Discharge		* * * * * * * * * * * * * * * * * * *	
<u> </u>		(Includes Guard)		e ga en en en en en en en en en en en en en	
134-2956	1	Guard, Scroll Outlet			
153-0097	1	Cable, Choke	, ,		•
517-0035	1	Plug, Dot Button - Timing		•	
*		Hole			
155-0860	. 1	Muffler, Exhaust			
154-0360	2	Gasket, Exhaust Muffler			
,	_				a
; a					E.

SPECIAL PARTS LIST FOR MODEL CCKA-S SPEC FOR STANDARD PARTS REFER TO CATALOG 927-0253 KEY NO. OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED. PART NO. DESCRIPTION PART NO. DESCRIPTION Manufactured For: Lincoln Electric Option - 1 "Ignition Breaker Box (High Profile) Option - 20 Carburetor (Gasoline With Ádjustable Main Jets) 110-1418 Block Assembly, Cylinder (Refer To Standard Cylinder Block For Components) .104-0882 Crankshaft 515-0002 Key, Flywheel To Crankshaft 1 515-0006 Key, Crankshaft Stub 113-0088 Ring Set, Piston (Available In .005, .010, .020, .030, .040 Oversize) 150-1000 Extension, Governor Arm 150-0979 Link, Governor 503-0744 1 Line, Fuel Pump To Carburetor 154-0802 Manifold, Intake 505-0008 Plug, Pipe (1/8") 1 142-0595 Carburetor, Gasoline (Refer To Optional Carburetor For Components, Except Parts Marked #) 142-0192 #Shaft, Choke 1 142-0241 #F1y, Choke 142-0459 #Valve And Seat Assembly 142-0598 #Clip, Float Valve 140-1348 Base, Air Cleaner 1 123-1284 Hose, Breather 1 134-1579 Housing, Blower 1 517-0009 Plug, Dot Button - Blower Housing (2" Hole) 517-0021 Plug, Dot Button - Blower 1 Housing (7/8" Hole) Parts Not Furnished By Onan Stop Switch

SPECIAL PARTS LIST FOR MODEL _____CCKA-MS

FOR STANDARD PARTS REFER TO CATALOG 927-0253

KEY NO.

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO.	QTY	DESCRIPTION.	PART NO. QTY.	DESCRIPTION
Option -	6	flywheel Alternator		
Option - 3	32	Spin-On Oil Filter		
				and the second
110-1860	1	Block Assembly, Cylinder	1	than a second and the
		(Refer To Standard Cylinder		· A Company
		Block For Components,	·	* *
		Except Parts Marked *)		•
517-0048	. 1	*Plug, Expansion - Camshaft		
		Opening In Cylinder Block		• •
105-0238	. 1	Camshaft (Includes Center Pin)	ı.	
150-0075	1	Pin, Camshaft Center		
134-3019	1	Flywheel (Includes Ring Gear)		
134-0673	1	Gear, Ring - Flywheel		
323-0853	ĺ	Body, Alternator Stator		
		Leads Connector	·	
167-01.88	2	Clip, Stator Leads		1
150-0755	1	Bracket, Governor Speed		
	Ž.	Adjusting .		<i>₽</i>
150-0698	1	Spring, Governor Speed		
309-0237	1	Switch, Low Oil Pressure		···
155-1253	. 1	Muffler, Exhaust		
505-0618	1	Cap, Pipe - Exhaust Muffler		
154-0360	2	Gasket, Exhaust Muffler	1 6	* (
		Mounting	, r	
134-2734	1	Housing, Blower		•
134-2760	1.	Housing, Cylinder Air -		
			1	

SPECIAL PARTS LIST FOR MODEL		CCK-MS		SPEC	3524G	
FOR STANDARD PARTS	REFER	TO CATA	LOG	927-0253	KEY NO	. 2.
OPTIONAL GROUPS IN CATALOG				<ul> <li>(a) (2) (1) (1) (2) (2) (3) (4)</li> </ul>		

: -[.	PART NO.	QTY.	DESCRIPTION	•••	PART NO.	QTY.		DESCRIPT	ION
<u> </u>	Option -	28	Alternator (Automotive Type, Left Side Mounted) Control (Engine)		•				
	520-0114		Stud, Rear Bearing Plate						
	120-0145 104-0369	.1	Stud, Oil-By Pass Screw, Flywheel			· · · · · · · · · · · · · · · · · · ·	<del>R</del>		· .
	134-1796 302-0062	.1	Housing, Blower Gauge, Ammeter (45-0-45)					•	
	307-0367 336-0102		Solenoid, Start Lead, Solenoid To Starter						
(E*****	155-1083		Motor Muffler, Exhaust		. **				٧-
	505-0618 508-0084		Cap, Pipe - Exhaust Muffler Grommet, Rubber - Blower Housing (1½" Hole)				• .		
			•						

FOR STANDARD PARTS REFER TO CATALOG 927-0253

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO. QTY, DESCRIPTION .	PART NO.	QTY.	DESCRIPTION
Manufactured For: Thermo King	309-0064	1	Switch, Low Oil Pressure
77. 77. 77. 77. 77. 77. 77. 77. 77. 77.	515-0094	2	Key, Wheel
Option - 1 Breaker Box (High Profile)	134-1855	1	Housing, Blower
	193-0147	. 1	Gauge, Oil Pressure
110-1469 1 Block Assembly, Cylinder	502-0005	1	Elbow, Inverted Male - 0
(Refer To Standard Cylinder	200 0101		Pressure Gauge
Block For Components, Except	332-0191	1	Stud, Brass (#10 - 32 X
Parts Marked *)	500 0001	-	1" Lg.)
110-1000 2 *Insert, Intake Valve Seat	508-0001	1	Grommet, Rubber - Blower
(Available In .010 And	3.27. 0.22		Housing (1-1/16" Hole)
.025 Oversize)	134-0832	1	Plate, Baffle - Blower
101-0387 1 *Plate, Bearing - Rear	701 0500		Housing
110-1037 2 Valve, Intake	134-0588	1	Housing, Cylinder Air -
110-0893 4 Washer, Valve Spring		_	Right Side
Retainer - Intake-Exhaust	134-0599	1	Clip, Cylinder Air Housi
110-2473 1 Head, Cylinder - Left	140-0136	1	Cover, Fuel Pump Hole
110-2474 1 Head, Cylinder - Right	123-0129	1	Tube, Breather
110-2739 2 Gasket, Cylinder Head	123-0104	·J. <b>ì</b>	Valve, Breather
104-0275 1 Crankshaft	123-0293	1'	Cap, Breather Tube
110-1283   Cover, Timing .	1450322	1	Inlet, Carburetor Air
112-0073 2 Piston And Pin (Available In .005, .010, .020, .030,	503-0107	1	Clamp, Hose - Carburetor Inlet
.040 Oversize)	. 140-0211	1 .	Sleeve, Carburetor Air I
112-0069 2 Pin, Piston	503-0280	1	· Clamp, Hose - Air Inlet
113-0003 4 Clip, Piston Pin Retaining			Sleeve (Front)
113-0089 2 Ring Set, Piston (Available In .005, .010, .020, .030,	503-0004	2	Clamp, Hose - Air Cleane Hose
.040 Oversize)	503-0653	1	Hose, Air Cleaner
105-0428 1 Camshaft	140-0994	1	Cleaner And Bracket, Air
105-0030 1 Gear, Timing - Camshaft	154-1029	1	Manifold, Intake
102-0562 1 Base, Oil	148-0361	1	Tube, Fuel Inlet - Gas
102-0563 1 Gasket, 0il Base	502-0156	1	'Elbow, Street - Fuel Inl
123-0092 . 1 Gasket, Oil Fill Tube			(45°)
Mounting	150-0122	1	Link, Governor To Carbur
120-0439 1 Cup, Oil Pump Intake	154-1534	1	Manifold, Exhaust
103-0037 l Gearcase Assembly (Includes	154-0360	2	Gasket, Exhaust Manifold
Parts Marked #)			Mounting
509-0013 1 #Seal, 0il	160-1205	1	Box, Breaker (Refer To
150-0100 1 #Shaft, Idler Gear	÷		Standard High Profile
150-0101 1 #Gear, Idler			Breaker Box For Compon
150-0116 l #Collar, Governor Idler			Except Breaker Point S
510-0019 1 Bearing, Gear Cover	160-0638	1	Point Set, Breaker
151-0345 1 Governor	167-0081	2	Plug, Spark
150-0104 1 Gasket, Governor	515-0006	1	Key, Crankshaft Stub
120-0102	1		
502-0058 2 Tee, Pipe - Oil Line	The Follow	wing Is	s a Special List Of Corros
502-0030 1 Connector, Inverted Male -	•	_	dware Used In Manufacture
0il Line	This Un		
502-0019 1 Elbow, Inverted Male	110-1928	8	Screw, Cap - Cylinder He
	1 '		
501-0004 1 Line, Oil - Flexible (12" Lg.)	}		$(5/16 - 18 \times 1-1/4")$

# SPECIAL PARTS LIST FOR MODEL COK-MODEL COK-MODEL

850-0160

2 Washer, Lock - Breaker Box

MTG. (1/4")

PART NO.	QTY.	DESCRIPTION	PART NO. OTY DESCRIPTION
114-0231	10	Screw, Cap - Cylinder Head (5/16 - 18 X 1-3/4")	815-0290 2 Screw, Thread Forming - Left Air Housing And A
526-0191	18	Washer, Flat - Cylinder Head (5/16")	Cleaner (1/4 - 20 X 5/
800-0730	4	Screw, Hex Head Cap -	Parts Not Furnished By Onan
		Gearcase	Starter
	1.11.	(5/16 - 18 X 1")	Oil Fill Tube And Indicator
800-0734	1	Screw, Hex Head Cap -	Fuel Pump
	Tarright Tarright	Gearcase	Carburetor
		(5/16 - 18 X 1-1/2")	Flywhee1
520-0655	. 4	Stud, Steel - Oil Base	Ignition Coil And High Tension Leads
	•	(3/8 - 24 X 1-9/16")	
867-0027	4	Nut, Hex - Oil Base	
		(3/8 - 24)	
520=0 <del>6</del> 54	÷ 5	Stud, Steel - Rear Bearing	
		Plate (5/16 - 24 X 1-5/16")	
867-0025	÷5	Nut, Hex - Rear Bearing Plate	•
		(5/16 - 24)	
800-0720	2	Screw, Hex Head Cap - Valve	
		Box Cover	real control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the c
		$(1/4 - 20 \times 2 - 1/4")$	
800-0740	2	Screw, Hex Head Cap - Intake	
•		Manifold (3/8 - 16 X 2")	
800-0710	2 .	Screw, Hex Head Cap - Fill	
		Tube Mounting	
		$(1/4 - 20 \times 3/4^{\circ})$	
815-0261	2	Screw, Thread Forming - HWH,	
		Right Air Housing	
		$(1/4 - 20 \times 1/2")$	2"
800-0708	5	Screw, Hex Head Cap - Blower	
		Housing (1/4 - 20 X 1/2")	
812-0330	2	Screw, Round Head Machine -	
••		Governor MTG.	
		$(1/4 - 20 \times 1")$	
854-0015	7	Washer, Internal Tooth Lock -	
		Blower Housing (1/4")	
850-0160	4	Washer, Lock - Oil Fill Tube	· · · · · · · · · · · · · · · · · · ·
		And Governor MTG. (1/4")	
850-0165	10	Washer, Lock - Bearing Plate	
		And Gear Cover (5/16")	
850-0170	4	Washer, Lock - 0il Base	
<u> </u>		(3/8")	
815-0330	2	Screw, Fillister - Hex	
		Machine - Breaker Box MTG.	
**	_	$(1/4 - 20 \times 7/8")$	
526-0214	2,	Washer, Flat - Breaker Box	
	_	MTG. (1/4")	
050 0500	_		

SPECIAL PARTS LIST FOR MODEL _____ CCK-MS

FOR STANDARD PARTS REFER TO CATALOG 927-0253

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO. QTY.	DESCRIPTION	PART, NO.	QTY. 🔪	DESCRIPTION
			Ţ,	
Option - 6	Flywheel Alternator . (Phelon - 15 Ampere)			
Option - 36	Choke (Sisson)			
<b>323</b> -0853 1	Body, Alternator Stator		•	
134-3019 1	Leads Connector Flywheel (Includes Ring Gear)			
134-0673 1 153-0460 1	Gear, Ring Link, Choke To Carburetor		•	
154-1909 1	Manifold, Exhaust			
154-0360 2	Gasket, Exhaust Manifold Mounting			
505-0329 1	Cap, Pipe - Exhaust Manifold			

SPECIAL PARTS LIST FOR MODEL	CCK-MS	SPEC	3546J
FOR STANDARD PARTS REF			KEY NO. 2
OPTIONAL GROUPS IN CATALOG ARE			
PART NO. QTY DESCRIPTION	PART NO	<b>QTY.</b>	DESCRIPTION
Option - 8 Alternator (Automotive Ty	pe,		
Left Side Mounted) Option - 34 Vacu-Flo Cooling			
102-0791 1 Base, Oil 134-2795 1 Housing, Blower			
517-0035 l Plug, Dot Button - Blower			
Housing Timing Hole (1-1/16" Hole)			
134-3041 1 Scroll, Air Discharge (Includes Guard)		and the same	
134-2956 1 Guard, Scroll Outlet			
134-0753 1 Wheel, Blower			
			en en en en en en en en en en en en en e
at .	,	6	
· · · · · · · · · · · · · · · · · · ·			
			3
			· · · · · · · · · · · · · · · · · · ·
	^		
			Service Control of the Control
			•
	•		
to the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of th			
我认为的陈见上 <del>二十</del> 七万宝成为一个时间不多。			医多层重重的复数

SPECIAL PARTS LIST FOR MODEL CCK-ME

SPEC

FOR STANDARD PARTS REFER TO CATALOG 927-0253

KEY NO.

OPTIONAL GROUPS IN CÂTALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO. QT	Y. DESCRIPTION	PART NO. QTY. DESCRIPTION
option - 8	Alternator (Automotive Type,	
0	Left Side Mounted) Gas Fuel System	
Option - 17 Option - 28	Control (Engine)	
Option - 31	Clutch	
obrion - or	Clucch	
110-0884 1	Head, Cylinder (Right Side)	
	Head, Cylinder (Left Side)	
149-0136 1		
1420130	Pump Opening	
123-0951 1		
104-0369 1		
150-0096 1	, ,	
13,0.0030	Adjusting	
150-0698		
150-0635 I	· . •	s.
307-0367		
336-0102	- ·	
	Motor	*
134-1796 1	Housing, Blower	
	Ammeter (45-0-45)	
	Plug, Dot Button - Control	
	Panel (11/32" Hole)	
508-0084 1	. Grommet, Rubber - Blower	
*	Housing $(1\frac{1}{4})$ Hole)	
155-1253	Muffler, Exhaust	
505-0618	Cap, Pipe - Exhaust Muffler	
	$(1\frac{1}{2}")$	
153-0097	Cable, Choke	
	- ·	
*	· •••	

SPECIAL PARTS LIST FOR MODEL CCKA-MS SPEC 3550.1
FOR STANDARD PARTS REFER TO CATALOG 927-0253 KEY NO. 4

PART NO.	QTY.	DESCRIPTION	<del></del>	PART NO.	QTY.	DESCRIPTION
3 3 4 1	•	•			1	
Option - 4		Flywheel Alternator		, · · · · · · · · · · · · · · · · · · ·	•	
5 7 18		(Syncro - 20 Ampere)			·	
			:		Art 2 Communication	
517-0048	1	Plug, Expansion - Camshaft				
1		Opening In Cylinder Block	1	•		
105-0238	1	Camshaft (Includes Center Pi	1)			
150-0075	1	Pin, Camshaft Center		·	· ·	
150-0635	1	Bracket, Governor Speed	1			·
of Billion The		. Adjusting Stud			••	
150-0698	1,	Spring, Governor Speed			ě – – – –	* *
167-0188	2	Clip, Alternator Stator	- 1.			
\$	•	Leads			. 1	
155-0860	. 1	Muffler, Exhaust	ı			
154-0360	2	Gasket, Exhaust Muffler			av 1	
1 1 1						
Parts Not Furnished By Onan					£	
* Spark Adv	vance	•			·	•

FOR STANDARD PARTS REFER TO CATALOG 927-0253

KEY NO.

PART NO.	QTY	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Option -	32	Spin-On Oil Filter			
Option -		Vacu-Flo Cooling			
Option -		Choke (Sisson)			
	::				
110-1860	1	Block Assembly, Cylinder			
		(Refer To Standard Cylinder	].		
e de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de l		Block For Components,		•	
	•	Except Parts Marked *)	· · ·		•
517-0048	1	*Plug, Expansion - Camshaft			
		Opening In Cylinder Block			
105-0238	1	Camshaft (Includes Center Pin)	) s		
150-0075	1	Pin, Camshaft Center	*	•	
150-1577	1	Cover, Fuel Pump Hole			*1
104-0302	1	Flywheel (Includes Ring Gear)	j .		
<del>-134-0673</del>	1	Gear, Ring - Flywheel		. •	
309-0237	1.	Switch, Low Oil Pressure	· .		
153-0460	1	Link, Choke To Carburetor	•		k
154-1909	1	Manifold, Exhaust			•
505-0329	1	Cap, Pipe - Exhaust Muffler			
154-0360	2	Gasket, Exhaust Muffler			
, ,		Mounting		•.	
134-2760	1	Housing, Cylinder Air -		,	,
·		Right Side		•	:- -
517-0035	1	Plug, Dot Button - Blower		• .	
	:	Housing Timing Hole		•	•
134-3041	1	Scroll, Air Discharge	'		
		(Includes Guard)		•	
134-2956	1	Guard, Air Scroll Outlet		•	
		•			
		shed By Onan			
Fuel Pu	-				
Spark A		•	-\$		
. Air Cle	aner		I .		

SPECIAL PARTS LIST FOR MODEL

FOR STANDARD PARTS REFER TO CATALOG 927-0253

KEY NO.

PART NO. QTY	DESCRIPTION	PART	NO.	QTY.	D	ESCRIPTIO
•			<del></del>	1		
Option - 27	Variable Speed Governor Control	,				v A
Option - 32	Spin-On Oil Filter	.   -	<i>:</i>	`.		* * * * * * * * * * * * * * * * * * *
110-1860 1	Block Assembly, Cylinder (Refer To Standard Cylinder Block For Components,				y A	٠.
517-0048 1	Except Parts Marked *)  *Plug, Expansion - Camshaft				66 g	•
105-0238 1 150-0075 1	Opening In Cylinder Block Camshaft (Includes Center Pin) Pin, Camshaft Center	)			•	
134-2760 1	Housing, Cylinder Air - Right Side			·		
155-1253 ì	Muffler, Exhaust			/	v3	
505-0618 1 154-0360 2	Cap, Pipe - Exhaust Muffler Gasket, Exhaust Muffler Mounting				. •	•
134±2897 <b>1</b>	Housing, Blower			•		,
308-0140 1	Switch, Start-Stop (Toggle)	-				
Parts Not Furn Spark Advance						

SPECIAL PARTS LIST FOR MODEL CCKA-MS SPEC 3566J
FOR STANDARD PARTS REFER TO CATALOG 927-0250 KEY NO.
OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO.	QTY.	DESCRIPTION	PART NO.	QT.	Y. DESCRIPTION
Manufactured	for:	J. I. Case	<b>a</b> ,		
104-1336	1 C	rankshaft (Includes	134-2975	1"	Housing, Blower
		Keys)	508-0005	1	Grommet, Blower Housing
515-0110	1 K	ey, Crankshaft	150-1269	1	Bushing, Governor
103-0502	1 G	earcase (Includes	: :		Control
		Parts Marked *)	149-1329	1	Bracket, Fuel Pump
509-0040		eal, Oil	1.		Mounting
509-0008		ea¶, Oil	517-0034	1	Plug, Dot Button -
510-0014		earing, Ball			Blower Housing 🕟
510-0013		earing, Needle	503-0301	3	Clamp, Hose - Fuel
516-0130	1 *P	in, Roll	149~1321	1	Cap, Fuel Fitting -
150~1187		oke, Governor			Fuel Pump
150-1541		haft, Governor	332-0051	2	Clip, Wire - Fuel Hose
110-3604		eal, Oil - Valve Stem			(7/16" Dia.)
		(Intake)			,A
123-1216		ube, Oil Fill			·
149-1982		ump, Fuel - Pulse			
142-0637		arburetor, Gasoline			
		(Includes Mtg Gasket)			
145-0465		ent, Carburetor			
503-1199		ose, Fuel (1/4" ID)			
518-0176		lip, Cable - Remote Choke			
150-1725-01		racket, Governor			
		Mounting (Zinc Plated	)		
150-1435		rm, Governor Control			
153-0632		wivel, Governor Arm		•	
516-0059		in, Cotter - Governor			
		Arm	•		
150~1398	1 S	pring, Governor Idle			
336-229∦		ead, Oil Pressure			
٠ .		Switch			
191-1636		tator, Battery Charge			
		Alternator	7	-	•
191-0400	1 R	otor, Charging	:		
		Alternator			
140-1307		ousing, Air Cleaner			•
140-1232		over, Air Cleaner			
140-2522		lement, Air Cleaner			* .
509-0124		-Ring, Air Cleaner			
865-0020		ut, Wing - Air Cleane	r  , ,		-
:	·-	Cover (1/4-20)	·		
123-0733		ube, Breather -		•	
		Connector	•		
503-1274		ose, Breather			
•			<u>,  </u>		
•			•	•	
		production of the			
DATED	2/13	/90 REVISED			PAGE 1 OF 1

SPEC

FOR STANDARD PARTS REFER TO CATALOG 927-0253

PART NO.	QTY.	DESCRIPTION	P	ART NO.	OTY.	DESCRIPTION
					**************************************	
Option -	ξ.	Flywheel Alternator		191-0793	:1	Clip, Wire Harness
operon		(Wico - 20 Ampere)		191-0736	1	Flange, Starter Notor
Option - 1	13	Starter (Solenoid Shift -	1	150-1297	1	Bracket, Governor Linkag
operon 3		12 Volt)		150-1264	1	Spring, Governor
Option - 2	20	Carburetor (Gasoline With	<u>"</u>	332-1338	1	Clamp, Loop (3/4" Dia.)
\ \	20.	. Adjustable Main Jets)		166-0346	1	Coil, Ignition
Option - 3	32	Spin-On Oil Filter		166-0562	1	Bracket, Ignition Coil
Copulation	,	bpin on oil lifter		503-0514	1	Clamp, Ignition Coil*
110-1770	1	Block Assembly, Cylinder		150-1310	i	Arm, Governor Pivot
110 1170		(Refer To Standard Cylinder		304-0060	ī	Resistor
	-	Block For Components,		304-0014	2	Washer, Centering - Resi
* * * * * * * * * * * * * * * * * * * *		Except Parts Marked *)	<u>.</u> :	304-0610		Support, Resistor Termin
110-1000	" 2·	*Insert, Intake Valve Seat		150-1269		Bushing, Governor Contro
	4	(Available In .010 And	100	152-0155	1.	Swivel, Choke Lever
•		.025 Oversize)		502-0020	1	Elbow, Fuel Pump Inlet
516-0011	2			502-0002	<del></del>	Elbow, Fuel Pump Outlet
517-0048	1	*Plug, Expansion - Camshaft		149-0611	ì.	Line, Fuel Pump To Carbu
3, 0040	~	Opening In Cylinder Block		502-0002	1	Elbow, Inverted Male -
520-0114	·5	*Stud, Rear Bearing Plate		302 000	_	Carburetor Inlet
110-0445	5	*Nut, Hex - Rear Bearing *	, "	153-0431	. 1	Bracket, Choke Wire
	-	Plate (5/16" - 24)		142-0482		Carburetor, Gasoline (Re
101-0413	1	*Gasket Kit, Bearing Plate		2.12 0.1012		To Optional Carbureton
110-1037	2	Valve, Intake				· For Components)
. 110-0904	4 .	Rotocap, Valve Spring		140-1054	1	
	·	Retainer		509-0124		Seal, O-Ring - Air Clear
105~0238	1	Camshaft (Includes Center Pin)	~~~		· -	Base
150-0075	$\tilde{1}$	Pin, Camshaft Center	]	140-1053	1	
104-0710	$\overline{1}$	Crankshaft	3	140-1055		Element, Air Cleaner
515-0094	. 2	Key, Crankshaft	,	140~1058	1	Clamp, Base To Carburete
120-0689	1	Line, Oil Pump Intake	İ	134-2199	1	Housing, Blower
120-0663	1	Cup, Oil Pump Intake		134-2094	$\overline{1}$	Housing, Cylinder Air -
102-0655	1	Base, Oil		;	·	Right Side
502-0058	$\overline{1}$	Tee, Low Oil Pressure Switch		517-0107	1.	
309-0169	1	Switch, Low Oil Pressure	1			
505-0057	1	Plug, Pipe - Low Oil Pressure		Parts No	t Furi	fished By Onan
	٠	Switch Tee (1/8")		Manua1		•
123-1102	1	Cap And Indicator, 011 Fill		Spark		
· · · · · · · · · · · · · · · · · · ·		(Includes Gasket)			. L .	नंद.
123-0191	1.	Gasket, Oil Fill Cap		S 1 S 2	$f^{-1}$	
134-2378	.1	Flywheel (Includes Ring Gear)				
134-0673	1	Gear, Ring - Flywheel		/		
134-1889	. 1	Guard, Flywheel - Rotating	_			
191-0739	1	Stator Assembly (Refer To	- (		يُريد المجار	
	• •	Standard Stator For	1	ſ		
en de la companya de la companya de la companya de la companya de la companya de la companya de la companya de La companya de la co		Components)			- Arrive	
503-0574	. 1	Hose, Breather	' .			
305-0478	1	Regulator - Rectifier				
<u>L</u>	_	Assembly		4.0		[17] [1] [1] [1] [1] [1] [2] [2] [2] [2] [2] [2] [2] [2] [2] [2
305-0477	1	Spacer, Regulator Mounting				
167-0188	1	Clip, Stator Leads		ة بينده مصحوب المحاورة		The second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second secon
	. <del>-</del>			San San San San San San San San San San		

SPECIAL	PARTS	LIST FOR	MODEL

---Parts Not Furnished by Opan.

Mufflers

CCK-S

SPEC

3579J

#### FOR STANDARD PARTS REFER TO CATALOG

927-0253

KEY NO.

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED. PART NO. QTY. DESCRIPTION PART NO. DESCRIPTION 110-2462 Block Assembly, Cylinder (Refer To Standard Cylinder Block For Components, Except Rear Bearing Plate) Plate, Bearing - Rear 101-0390 104-0882 Crankshaft Cap And Indicator, Oil Fill 123-050 (Includes Gasket) . Gasket, Oil Fill Cap -123-0191 1 Tube, Oil Fill 123-0679 1 Elbow, Street - (1) Oil Line, 502-0020 (1) Fuel Pamp Inlet / Elbow, Inverted Mare & (11) 502-0002 Fuel Pump Outlet, (1) Carburetor Fuel Inlet 502-9005 Elbow, Female - Dil Line Fo Gauge 193-0005 Gauge, Oil Pressure 501-0004 Line, Flexible - (1) 0il >Pressure Gauge, (1) Fuel /Pump Inlet " Line, Fuel Rump Id Casbutetor 149-07.75 134-1579 Housing, Wkower, Tubé, Breginer 123-0129 Valve, Breather Tube 123-0104 ¿Cap, Breather Tube -123-0293 Clame, Breather Tube Cap To 503-0769 · Carboretor Air inlet 145-0094 Inlet. Carbutecor Air Clams, Carburgtor Air Inlet 503-0107 134-6019 Baffle. Vul. Pump And Air -Claader Co Housing, Air Obeaner 140-10537 Clamp, Air Cleaner Housing 503-0280 Tổ Cảr gurêtor Air Inlet Cover, Air Cleaner/ 140-0538 140 - 0495Element, Air Cleager Screw, Wing - Air∫Cleaner . 518-0056 Spacer, Air Aleaner Housing 140-0554. Houritings' Manifold, Untake 154-0601 **3**05-0003 Elbow, Street - Exhaust (90°) Wipple, Close - Exhaust 505-0087 ... (1" & F Lg.)

FOR STANDARD PARTS REFER TO CATALOG 927-0253 OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.

PART NO. QTY. DESCRIPTION	PART NO. QTY DESCRIPTION
Manufactured For: Gravely	10/ 0556
Option - 5 Flywheel Alternator	134-2556 1 Flywheel (Includes Ring Ge
(Wico - 20 Ampere)	134-0673 1 Gear, Ring - Flywheel
	134-1889 l Guard, Flywheel - Rotating
	305-0478 1 Regulator-Rectifier Assemb
Adjustable Main Jets)	305-0477 l Spacer, Regulator Mounting
Option = 32 Spin-On.Oil Filter	191-0793 1 Clip, Wire Harness
	191-1104 l Bracket, Starter Motor
110-1911 1 Block Assembly, Cylinder	Mounting
, (Refer To Standard Cylinde	191-1103 2 Spacer, Starter Motor
Block For Components,	Mounting
Except Parts Marked *	191-1108 l Seal, Starter Motor Air
110-1000 2 *Insert, Intake Valve Seat	149-0136 l Cover, Fuel Pump Hole In
, (Available In .010 And	Cylinder Block
.025 Oversize)	332-1338 2 Clamp, Loop (3/4" Dia.)
516-0011 2 *Pin, Dowel (5/16" X 1-1/8")	166-0346 l' Coil, Ignition
517-0048 1 *Plug, Expansion - Camshaft	166-0562 1 Bracket, Ignition Ceil
Opening In Cylinder Block	503-0514 1 Clamp, Ignition Coll
520-0114 / 5 *Stud, Rear Bearing Plate	150-1310 Arm, Governor Pivot
110-0446 5 *Nut, Hex - Rear Bearing	304-0060 1 Resistor
Plate $(5/16'' - 24)$	304÷0014 2 Washer, Centering - Resis
517-0090 1 Plug, Plastic - Cylinder	304-0610 l Support, Resistor Termina
Block Wet Hole	150-1269 1 Bushing, Governor Control
110-1037 2 Valve, Intake	152/0155 1° Swivel, Choke Lever
110-0904 4 Rotocan, Valve Spring	1-0-1206 1 Base, Air Cleaner
Retainer	140-1058 . E Clamp, Base To Carburctor.
105-0238 1 Camshaft (Includes Center	509-0124
Pin)	Base
150-0075 · 1 Pin, Camshaft Center	140-1053 T. Cover, Air Cleaner
102-0655 1 Base, 0il	
120-0689 1 Line, Oil Pump Intake	140-1055 1 Element, Ait Cleaner
120-0663 1 "Cup, Oil Pump Intake	142-0593 1 Carburetor, Gasoline (Ref
104-0885 1 Crankshaft	To Optional Carburetor
123-1102 i Cap And Indicagor, Oil Fill	For Components, Except
(Includes Gasket)	Parts Marked +)
123-0191 1 Gasket, Oil Fill Cap	142-0530 1 +Shaft, Choke
103-0332 I Gearcase Assembly (Refer To	141-0078 1 +Gasket, Carburetor To
Standard Gearcase For	Intake Manifold
Components, Except Parts	154-0360 2 Gasket, Exhaust Muffler
Marked *)	Mounting
150-0710 1 "Shaft And Arm Assembly,	155-0880 1 Muffler, Exhaust
	134-29512. 1 / Housing, Blower
Governor,	134-2954; A. Housing, Cylinder Air -
510-0008   #Bearing, Needle - Lower	Right Side
150-0620 - 1 - Yoke, Governor Shaft	
518-0129 1 Ring, Governor Yoke	Parts Not Furnished By Onan
Retaining	Fuel Pump
150-1297 1 Bracket, Governor Speed	Manual Choke
Adjusting Stud	Spark Advance
150-1264 / 1 Spring; Governor Speed	
191-0892 1 Stator Assembly (Refer To	
Standard State For	

#### SPECIAL PARTS LIST FOR MODEL

FOR STANDARD PARTS REFER TO CATALOG 927-0253

KEY NO.

	PART NO.	QTY.	DESCRIPTION		PART NO.	QTY.		ESCRIPT	ION
	Option - J	1.5	Gas-Gasoline Fuel System						Turk Merikala
	105 0004	1	Complete (Table) Carrier					y .	
٠.	105-0234	<u>.</u> .	Camshaft (Includes Center	,		,		**************************************	
1		•	Pin And Spark Advance		<u>-</u> ·`	1.5%			
	- 150-0075	. 1	Mechanism Pins)	,			ş .	- <b>0</b> .	
	516-0146	± ?	Pin, Craws - Spark Advance				e Tel		•
	160-0140	2	Pin, Groove - Spark Advance Weight Assembly, Spark		* 4		*. î:	: .	
	: ::::::::::::::::::::::::::::::::::::	٠.	Advance (Includes Pins)		* '	N 19			4
	518-0185	2 .	Ring, Retaining - Spark		÷		Ė		•
	. 520 6105	, ←.	Advance Groove Pins Page				<b>.</b>	*	
	160-0726	1 .	Retainer, Weight Assembly	_		: .			
			Spark Advance				•		
	160-0727	1	Spring, Spark Advance				4 C	•	
	. 160-0948	. 1	Flywheel (Includes Ring Ge	ar)			•	. *	
	134-0673	1	Gear, Ring - Flywheel	77				,	
4	160-0752	1	Stator Assembly, Magneto			-1			ų
			(Includes Parts Marked *	)					
	160-0750	1	*Coil, Magneto Stator				. 4		
	160-0749	1.	*Pole Shoe, Magnete Stator	· •					
	508-0095	· •	Growmet, Smark Plug Cables			÷,			
•	167-0188	٠. ن	Clip, Spark Plug Cable				* #		
	313-0028	1.	Button, Stop						
i Zi	134-35-3		Housing, Blower						
	és.	*		1	y *		2000 g		
		.49		* <b> </b>				1	e e

SPECIAL PARTS LIST FOR MODEL

FOR STANDARD PARTS REFER TO CATALOG 927-0253

KEY NO.

ੈ: ਹੈ:	PART NO.	QTY	DESCRIPTION		PART	NO.	QTY		** • •	DESCRIPTION
		5 . 1.0			•			7	· .	
٠.	Option -	9	Alternator (Automotive Type					i *		
			Top Mounted)		•		. "	ø .	;	,
	Option - I		Gas Fuel System				<i>[</i> .			
	Option - 3	34	Vacu-Flo Cooling	٠.				j.		
e in the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second			vs .' · · .		•				٧	
fan ∷ H	104-0885	1	Crankshaft							:
	110-0893	_e 4	Washer, Valve Spring Retainer					*		
- 2	149-0136	1	Cover, Fuel Pump Hole In	_				<b>1</b> 5		
	<b></b>	*	Cylinder Block		₹					*
	. 434-0753	. ]	Wheel, Blower							4
	104-0302	1	Flywheel (Includes Ring Gear)							a
	134-0673	ŗ.	Gear; Ring - Flywheel ,							
	150-1577	1.	Bracket, Governor Speed							y- <b>X</b>
	<i>**</i> .	•	* Adjusting					i* .		
	134-2795	1.	Housing, Blower				e.			
	<b>5</b> 17 <b>-</b> 0035	. 1	Plug, Dot Button - Blower							
	* @	•	Housing Timing Hole		٠,	•				
	134-3041	1	Scroll, Air Discharge							
			(Includes Guard)							
	134-2956	1 .	Guard, Scroll Outlet				!			
	309-0255	Å.	Switch, High Air Temperature							
	142-0372	1.	Carburetor, Gas ,							
,	191-0134	1 .	Pulley, Engine - Alternator		£			•		
	191-0831	1	Bracket, Alternator Mounting							
	191-0637	/1*	Bracket, Alternator Adjusting							•
	511-0090	1	Belt, Alternator Drive					:		•
	·									,
	•		<b>1.</b>							
		•	***					,		

#### FOR STANDARD PARTS REFER TO CATALOG 927-0253 KEY NO. OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED

PART NO. QTY.	DESCRIPTION	PAR	T NO.	QTY.	DESCRIPTION
			<del>,</del>		
Manufactured For: The	cmo King	503	-0107	1.	Clamp, Carburetor Air Inle
110.0050	*1	145	-0439	1.	Inlet, Carburetor Air
	Assembly, Cylinder	140	-0211	ĭ	Sleeve, Carburetor Air Inl
(Ker	r To Standard Cylinder		-0280	1 -	Clamp, Air Inlet Sleeve
	k For Components,	1	-1740	1	Housing, Blower
	pt Parts Marked *)	ſ	-05,88	1	Housing, Cylinder Air -
	, Intake Valve Seat			_	Right Side
	Intake *	508	-0001	2	Grommet, Rubber - Blower
	p, Valve Spring			: -	Housing (1-1/16" Hole)
	iner - Intake-Exhaust 🧪	134	-0599	. 1 .	Clip, Cylinder Air Housing
104-0601 1 Cranks	haft "		'-Ò112	1	Plug, Plastic - Blind
515-0006 1 Key, C	rankshaft Stub - Rear	' ' '	C .14. 14	<u> </u>	(1" Hole)
515~0094 2 Key, C	rankshaft/ Front	332	2-0191	r. 1	Stud, Brass - Blower Hous:
112-0073 2 Piston	And Pin((Available In	1 334	<b>V</b> 1. 2L	چى ر	Grounding $(#10 - 32 \times 1)$
	, .010, .020, .030,	526	-0049	2	Washer, Flat - Brass (#10)
•	Oversize)	ļ	3-0049 3-0016	$\frac{1}{1}$	Washer, Flat - Fibre
112-0069 2 Pin, P	iston .	1 300	>=0010	. <b>L</b>	
	Piston Pin Retaining	= niv	8-0017		(#10-5/16" X 3/64")
	et. Piston (Available	300	5-001.7	2	Washer, Flat - Fibre
	005, .010, .020, .030,			,	$(#10-1/2" \times 3/64")$
	Oversize)	.160	-1139	1	Box Assembly, Breaker (Re
· ·	Fly - Governor		' '		To Standard Breaker Box
• <del></del>	Oil (Internal Parts		₹		For Components, Except
	Sold Separately)				Parts Marked +)
102-0916 1 Base,			0-0638	1	+Point Set
•		1.*	-1225	1.	Manifold, Exhaust
46 ± 1	il-Pump Intake 🕠 . Oil Base	1 1	ı <del>-</del> 0360	2.	Gasket, Exhaust Manifold
		143	2-0440	$\epsilon + 1$	Carburetor, Gasoline (Ref
	"X 1-9/16" Lgt)				To Standard Carburetor
· · · · · · · · · · · · · · · · · · ·	Oil Fill - Left Side				Components Except Parts
123-0209 , i Tabe.			*		Marked ⁰ )
	, Oll Fill Tube And	142	2-0368	. 1	OShaft, Throttle
	r Mounting	142	2-0192	. 1	⁹ Shaft, Choke
	d Indicator, Oil Fill	142	20241	l	Orly, Choke
	" Qil Will Cap	142	2-0459	1	OValve And Seat Assembly
	, Low Oil Pressure	141	0078	. 1	Gasket, Carburetor Mounti
	se Assemb∰y (Refer∙To	!	2-0404	. 1	OKit, Repair - Carburetor
Stan	dard Gearcase For		1,00	* /	(Includes Gasket Kit & F.
· Comp	onents, Except Parts				Shaft, Idle Needle, Thre
na je	ed #) .	1		,	Shaft Bushings, Valve A
510-0008 1. %Searin	કું, weed]e – Lower		e.		. Seat Assembly, Throttle
150-023b l [*] #Yóke,	Governor Shaft	` `		•,	Shaft, Throttle Fly Scr
150-0377 / *1 #Snaft	And Arm, Governor	*	n Ak		Choke Fly Screw, Nut An
	Governor Yoke Retaining	,		5. 7	Jee Nozzle)
	owel - Geafcase		3		ACC SOLLARY
	g, Ball - Gearcase			. 17	tshed By Ouan
	Oil - Crankshaft To				*·····
and the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second s	case		Starter		
in the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of	t, Governor Spring		Fu∈1 Pu	:	
7		1	Manual'.	: .	E 🧀
	Breather Hose - Ton	1 7	Flywheg	i	in Algebra
· ·	Breather Hose - Top	4 53	_		1 And Leads
$503_{\$}0171$ 1 Clamp,	Bréather Hose - Bottom	17 .	Air Cle	aner	

# SPECIAL PARTS LIST FOR MODEL ____CCKA-MF

FOR STANDARD PARTS REFER TO CATALOG 927-0253

PART NO.	QTY.	DESCRIPTION		PART NO.	QTY.		DESCRIPTION
				7	, <u>, , , , , , , , , , , , , , , , , , </u>		
Option -	6	Flywheel Alternator		· · · · · · · · · · · · · · · · · · ·		<b>3</b> ,	**
Gira da da da Maria. O Antario	1.5	(Phelon - 15 Ampere)					v
Option -		Gas - Gasoline Fuel System					v .
Option -		Clutch (Rockford)	·		. /		
Option -	54 -	Spin-On Oil Filter	١,	, ,	*** **		
110-2375	· · · 1	Block Assembly, Cylinder	ļ	. ' a			
		(Refer To Standard Cylinder	r i				
<b>*</b>		Block For Components,	1 1	•	8.	•	· · · · · · · · · · · · · · · · · · ·
		Except Parts Marked *)			•		
110-1000	2	*Insert, Intake Valve Seat					
· ·		(Available In .002, .005,		•		, ,	1
•	• * * * * •	.010,025 Oversizes)					· •
110-1037	2.	Valve, Intake			8 1		. 4
110-0893	4	Washer, Walve Spring			`		
<u> </u>		Retainer #					
104-0913	1	Crankshaft					1
120-0759	1	Cup, Oil Pump Intake					
102-0949	1	Base, Oil			•		No.
309-0237	1	Switch, Low Oil Pressure				2	Programme (1)
123-0255	. 1	Tube, Oil fill		·			
123-1356	1	Cap And Indicator, Oil Fill				*	•
•		(Include Gasket)	ĺ	•			
125-0191	1	Gasket, Oil Fill Cap					
503-0479	1	Hose, Breather				}	
503-0170	1,	Clamp, Breather Hose - Top (5/8")		gar.		·	
503-0171	. ,1	Clamp, Breather Hose - Bottom (11/16")	n		(. 3		
145-0501	1.	Inlet, Carpuretor Air				<b>\</b>	
140-0537	1	Cleaner, Ar		<b>4</b> 5		?	
503-0280	ĩ	Clamp, AirlCleanor					
140-0495	ĺ	Element, Alr. Cleaner	,				
518-0056-	. 1	Screw, Air Cleaner Cover	1				
/ 140-0554	1	Spacer, Air Cleaner Housing	1				<i>)</i>
<del>/ 5</del> 01-0004	1	Line, Gasoline - Carburetor	1			4	90
\$ •		Inlet					
148-0633	· . 1	Pipe, Gas - Carburetor Inlet	-	3	,		· .
149-0775	- 1	Line, Fuel Pump To Carburetor	r		. 40	•	.te
502-0002	7	Elbow, Street - Fuel Pump			•		, ,
		Inlet And Outlet		•			
154-0526	1	Manifold, Exhaust					
154-0360	2	Gasket, Exhaust	1				
166-0678	1	Bracket, Coll					· · · · · · · · · · · · · · · · · · ·
308-0140	1	Switch, Start-Stop:				he be-	*
134-2897	. 1	Housing, Blower				· ·	
405-1662	. 1	Hood			.:	:	•
405-1663	1	Bracket, Hood	1				5 - A
134-2933	1,	Housing, Cylinder Air - Right	t ·			, (	· •
	and the second	Side	١,	· · · · · · · · · · · · · · · · · · ·	· .	~ t	• •
134-1469	* .2	Fastener, Hood	1	6	•	- 1 N	

## SPECIAL PARTS LIST FOR MODEL _____CCKA-MS -

1 #Throttle Shaft Package

#Float Package

Package

#Choke Shaft Package #Idle Speed Adjusting Package

High Altitude Power Needle

146-0267

146-0260 146-0261

146-0262

146-0282

## FOR STANDARD PARTS REFER TO CATALOG 927-0253

Q	بالمستخلص واستسبح	IAL GROUPS IN CATALOG ARE LISTE		10 Lat 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
PART NO.	QTY,	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
	State Francisco Notae				
Manufacture	d For:	Miller Electric	154-2077	1	Adapter, Carburetor
					Mounting
110-2358	1	Block Assembly, Cylinder	141-0859	2	Gasket, Carburetor Mount
	•	(Refer To Standard Cylinder	140- <b>1</b> 626	1	Housing, Air Cleaner
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Block For Components,	140-1652	1	Cover, Air Cleaner Housi
•		Except Parts Marked *)	140-1500	1	Plate, Carburetor Air
110-1000	. 2	*Insert, Intake Valve Seat			Deflector .
f = f		(Available In .002, .005,	140-1501	3	Spacer, Air Deflector Pl
		.010, And .025 Oversizes)	509-0145	1	O-Ring, Air Cleaner To
110-1037	. 2	.Valve, Intake			Carburetor
110-0904	4	Rotocap, Valve Spring	140-1228	1	Element, Air Cleaner
* • • • · · · · · · · · · · · · · · · ·		Retainer	140-1653	1	Bracket, Air Cleaner Mou
105-0500	41	Camshaft (Includes Center Pin)	г - 4	1	Bracket, Choke Cable .
150-0075	• 1	Pin, Camshaft Center	153-0514	1	Clamp, Choke Cable
510-0015	_ 10	Ball, Fly - Governor	166-0628	. 1	Bracket, Ignition Coil
-1 <del>13-</del> 0152	<b>2</b> .	Ring Set, Piston - Standard	167-0229	1	Clip, Spark Plug Lead
to the control of	•	(Available In .005, .010,	134-3783	1	Housing, Blower
		.020, .030, .040 Oversizes)	160-1287	1	Box Assembly, Breaker (
104-0882	1	Crankshaft	* * *		To Standard Breaker Bo
515-0006	72	Key, Crankshaft Stub	a.		For Components, Except
123-1149	1	Tube, Oil Fill			Parts Marked +)
150-1736	- 1	Bracket, Low Speed Governor	160 - 1232	1	+Cover_Assembly, Breaker
150-1734	1	Arm, Governor	509-0065	1	+0-Ring, Breaker Box Cove
150-1740	1 +	Spring, Low Speed Governon	312-0196	1 -	*Condenser
150-1753	. 1	Stud, Speed Adjusting -	160-1183	. 1	+Point Set, Breaker
•		Governor	160-1286	13	*Base, Breaker Box
150-0621	1	Nut, Acorn - Speed Adjusting	160-1150	1	+Gasket, Breaker Box Mou
· .		Stud	160-1151	1	Plunger, Breaker Box
150-1741	)'. <b>1</b>	Spring, High Speed Governor	150-1732	1	Link, Governor
123-1462	1	Hose, Breather			
154-2157	1	Manifold, Intake			shed By Onan
146-0275	1	Carburetor, Complete	Spark A	dvance	
₩,		(Includes Parts Marked #)		: 	
146-0285	<b>1</b>	#Kit, Repair (Includes Parts			
* * * * * * * * * * * * * * * * * * *		Marked 0)			Professional Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company of the Company
146-0220	146	P#Kit, Gasket			
146-0247	4	#Screw, Body To Intake	. N	4.5	
146-0142	.4	#Screw, Throttle And Choke		1	
• . •		Valve	<b>&amp;</b>	<b>`</b>	
146-0222 ,		O#Screw, Float Lever Pin			
146-0208		O#Spring, Bouyancy			10 m
146-0277	3 .	#Jet, Power			
146-0278		O#Screw, Plug - Power Jet			
146-0209		9#Idle Needle Package		2 - A	아들러워진 네가 숙절한 사이트 네트
. 146-0227	1 (	9#Valve And Seat Package			Shape of the State of the same
116 0067		#Throttle Chaft Dackage	e e	· · · · · . —	

SPECIAL PARTS LIST FOR MODEL ____CCKA-S ______ SPEC _ FOR STANDARD PARTS REFER TO CATALOG ___ 927-0253_

PART NO.	QTY.	DESCRIPTION	PART NO. DTY. DESCRIPTION
Manufactur	ed For:	Miller Electric	. 146-0285 1. #Kit, Repair (Includes Pa
name a contract and	OL LOI &		Marked )
* 110-2358		Block Assembly, Cylinder. *	146-0220 1. °#Kit, Gasket
		(Refer To Standard Cylinder	
		Block For Components,	146-0142 4 #Screw, Throttle And Chok
*	• *	Except Parts Marked *)	Valve
110-1000	2	*Insert; Intake Valve Seat	146-0222 1 °#Screw, Float Lever Pin
104-0882	1	Crankshaft *	146-0208 1 °#Spring, Bouyancy
105-0500	1	Camshaft (Includes Center	146-0277 * 1 * #Jet, Power
		(Pin)	.146-0278 1 **Screw Plug - Power Jet
150-0075	1	*Pin, Camshaft Center	146-0209 1 °#Idle Needle Package
510-0015	10	Ball, Fly - Governor	.146-0227 * 1 °#Walve And Seat Package
113-0152	2	Ring Set, Piston	146-0267 1 #Throttle Shaft Package
110-1037	2	,	146-0260 · 1 #Choke Shaft Package
110-0904	4	Rotocap, Valve Spring	146-0261 1 #Idle Speed Adjusting
	 	Retainer *	Package
102-0402	1 1	Base, 011	146-0262 1 #Float Package .
120-0400	1	Cup, Oil Pump Intake	146,0282 1 High Altitude Power Need
123-0489	1	Indicator And Cap, Oil Fill	* Package *
	***	(Includes Gasket)	154-2077 1 Adapter, Carburetor Moun
123-0191,	1.	Gasket, Oil Fill Cup	141-0859 Z - Gasket, Carburetor Mount
160-1279	1	Magneto Stator Assembly	140-1626 1 Housing, Air Cleaner
	4.	(Includes Parts Marked ±)	140-16521 Cover, Air Cleaner Housi
.160-1278		±Coil, Magneto Stator	140-1500 1 Plate, Carburetor Air
160-0749	1	±Shoe, Pole	Deflector
1 <b>6</b> 0-1287	1	Box Assembly, Breaker (Refer	140-1501 3 Spacer, Air Deflector Pl
P	, j	To Standard Breaker Box	509-0145 1 "O-Ring, Air Cleaner To
	, , , , , , , , , , , , , , , , , , ,	For Components, Except	Carburetor
160 1979		Parts Marked +)	140-1228 - 1 Element, Air Cleaner
160-1232 50 <del>9</del> -0065		+Cover Assembly, Breaker Box	140-1653 1 Bracket, Air Cleaner Mou
202-0005	$1_{j}$	+O-Ring, Cover Retaining	153-0515 1 Bracket, Choke Cable
312-0196	. 1	+Condenser, Ignition	153-0514 1 Clamp, Choke Cable
160-1183	· / 4	+Point Assembly, Breaker	134-3852 · 1 Housing, Blower .
160-1286	1	+Base, Breaker Box	134-0798 1 Baffle, Air - Blower Hou (Bottom)
160-1150	1	+Gasket, Breaker Box Mounting	515-0006 1 Key, Crankshaft Stub
160-1151	1	Plunger, Breaker Points	415-0000 1 Key, Grankshart Stub
167-0130	2	Plug, Spark	
313-0018	8 1 6	Switch, Stop (Button Type)	
150-1736	1	Bracket, Low Speed Governor	
150-1734	1	Arm, Governor	
150-1740		Spring, Low Speed Governor	
150-1753	1	Stud, Speed Adjusting	
	-	Governor	
150-0621	1	Nut, Acorn - Speed Adjusting	
	<b>–</b> •	Stud	
150-1741	1	Spring, High Speed Governor	
123-1462	1	Hose, Breather	
154-2157	1	Manifold, Intake	
146-0273	1	Carburetor, Complete	
		(Includes Parts Marked #)	

SPECIAL PARTS LIST FOR MODEL CCKA-MS 3687J FOR STANDARD PARTS REFER TO CATALOG. OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO BELOW WHEN USED. QTY. PART NO. DESCRIPTION DESCRIPTION PART NO. QTY. Option - 4 Flywheel Alternator (Syncro - 20 Ampere) Adjustable Jet Carburetor Option - 20 Option - 27 Variable Speed Governor Control 110-1418 Block Assembly, Cylinder (Refer To Standard Cylinden Block For Components) Hose, Breather 123-1284 Base, Air Cleaner 140-1384 Manifold, Intake 154-1703 Plug, Pipe - Intake Manifold 505-0008 (1/8")134 - 3220 Housing, Blower

SPECIA	um la lace de la	TS LIST FOR <b>MODE</b> L CCKA	网络大学工术员 "第二国际选择"。总统	SPEC	3692J
	The right of the first term	R STANDARD PARTS REFER T AL GROUPS IN CATALOG ARE LIST	en in the company of the first term in the first term in the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the c	927-0253	KEY NO. 4
	٠				
PART NO.	QTY.	DESCRIPTION	PART NO.	OTY.	DESCRIPTION
Option - 34 Option - 34 Option - 36 110-1860 105-0238 150-0075 104-0302 134-0673 309-0237 150-1577	4 6 1 1 1 1 1	Spin-On Oil Filter Vacu-Flo Cooling Choke (Sisson)  Block Assembly, Cylinder (Refer To Standard Cylinder Block For Components) Camshaft (Includes Center Pin Pin, Camshaft Center Flywheel (Includes Ring Gear) Gear, Ring - Flywheel Switch, Low Oil Pressure Plate, Cover - Fuel Pump Cavity In Cylinder Block Manifold, Exhaust Housing, Cylinder Air - Right Side			
	;	3140	•		Karaman Araban Marian M
Parts Not		ed By-Onan	, 		<b>A</b>
Fuel Pum	-		<i>**</i>		•
Air Clear				- 1 ₀	
Spark Ad	Vance			<b>*</b>	
		ė.		P 9	* * * * * * * * * * * * * * * * * * *
	• .				

SPECIAL PARTS LIST FOR MODEL CCKA-MP FOR STANDARD PARTS REFER TO CATALOG 927-0253 OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED PART NO. QTY. DESCRIPTION PART NO. QTY: DESCRIPTION Flywheel Alternator Option - 6 (Phelon - 15 Ampere) Option - 27 .Variable Speed Governor Control Option - 31 Clutch . Option - 32 Spin-On Oil Filter 110-1860 Block Assembly, Cylinder (Refer To Standard Cylinder Block For Components) 104-0913 Crankshaft Camshaft (Includes Center Pin) 105-0238 Pin, Camshaft Center » 150-0075 Housing, Blower 134-2897 Switch, Stop 308-0140 Clip, Wire - Stop Switch. 332-0050 Leads Housing, Cylinder Air - Right 134-2760 Side Parts Not Furnished By Onan Spark Advance

154-2157

154-2077 141-0859

1

:-1

1

Manifold, Intake

Gasket, Carburetor Adapter

Adapter, Carburetor

SPECIAL PARTS LIST FOR MODEL CCKA-M	SPEC 3718J
FOR STANDARD PARTS REFER TO	CATALOG 927-0253 KEY NO. 4
PART NO. OTY. DESCRIPTION	PART NO. OTY. DESCRIPTION
Electric Start	146-0314 1 Carburetor (Includes Mount
Less Spark Advance	Gasket-Includes Parts Man
15 Amp Flywheel Alternator	
13 Amp Programmed Internation	146-0260 I ++Choke Shaft Package
110-2358 1 Block Assembly, Cylinder (In-	146-0142 4 ++Screw, Valve Mounting
cludes Parts Marked *)	1 ++Intake, Air (Not Sold Sep-
123-0953 1 *Tube, Breather	arately)
101-0450 2 *Bearing, Crankshaft (Includes	146-0247 4 ++Screw, Body to Intake
Pins and Thrust Washer)	146-0267 1 ++Throttle Shaft Package
110-1000 2 *Insert, Intake Valve Seat	146-0222 1 ++Screw, Lever Pin
Note: Also Available in Over-	146-0262 1 ++Float Package
sizes .002, .005, .010, .025"	146-0261 " 1 ++Idle Speed Adjusting Scre
110-3136 2 *Gasket, Intake Valve Guide	146-0227 • 1 ++Valve & Seat Package
516-0072 2 *Pin, Crankshaft Bearing Stop	146-0209 1 ++Idle Needle Package
Note: Also Includes Parts	146-0208 1 ++Spring Buoyancy
Marked * Cylinder Block Group	l ++Body, Carburetor (Not Sol
Pg: A8-Except Ref. #3-110-	arately) %
1283 Cover (Delete)	146-0277 1 ++Jet, Power
104-1323 1 Grankshaft (Includes Parts	146-0278 1 ++Screw, Plug
Marked +)	146-0214 1 ++Needle Assembly, Altitude
515-0001 1 * +Key, Timing Gear Mounting	pensation
515-0227 1 +Key, Flywheel Mounting	146-0292 1 Kit, Carburetor Repair
105-0500 1 Camshaft (Includes Center Pin)	146-0220 l Kit, Gasket-Carburetor
113-0152 2 Ring Set, Piston/Note: Also	502-0395 1 Connector, Hose-Carbureto
Available in Oversizes .005;	153-0515 I Bracket, Choke Cable
.010; .020, .030, .040"	153-0514 1 Clip, Cable
110-1037 2 Valve, Intake	140-1653 1 Bracket, Air Cleaner Mour
110-0904 4 Rotocap, Intake/Exhaust Valve	140-1626 1 Housing, Air Cleaner
Spring Retainer	140-1228 1 Element, Air Cleaner
149-1784 1 Primp, Fuel (Includes Mounting	140-1652 1 Cover, Air Cleaner
Gasket) Note: For Breakdown	509-0145 1 Seal, O-Ring-Carburetor
See Fuel Pump Parts 149-0693	123-1462 1 Tube, Breather-Carbureton
Fg. A12	503-0171 1 Clamp, Breather Tube
123-1149 l Tube Assembly, Oil Fill	145-0522 1 Deflector, Carburetor
160-1287 1 Box Assembly, Breaker (Com-	166-0628 1 Bracket, Coil Mounting
* plete)(Includes Parts Marked	167-0229 1 Clip, Spark Plug Lead #2
**)	150-1732 1 Rod, Governor Control
160-1285 1 **Cover Assembly, Breaker Box	150-1740   1 Spring, Governor-Low Spec
160-1183 1 ** Point Assembly, Breaker	150-1753 1 Stud, Governor Adjust
160-1286 1 **Base, Breaker Box.	150-0621. 1 Spacer, Governor Adjust
312-0196 1 **Condenser, (Ignition (30 MFD)	518-0004 % 1 Clip, Rod End-Governor
160-1150 1 **Gasket, Breaker Box	191-0886 1 Regulator, Alternator-15
160-1151 1 Plunger, Breaker Box.	134-2100 2 Spacer, Sleeve-15 Amp A1
150-1734 l Bracket, Governor	515-0006 1 Key, Crankshaft (7/81 Di
160-1151 l Plunger, Breaker Box	1/4")
134-3019 1 Wheel, Blower (Includes Ring Gear	
134-3783° 1 Housing Assembly, Blower	
150-1736 I Bracket, Low Speed Governor	
167-0262 2 Plug, Spark-Resistor Type	1 Programme to the first terms of
154-2157 I Manifold Intakes Services	

OPTIONAL GROUPS IN CATALOG ARE LISTED BY GROUP NO. BELOW WHEN USED.							
PART NO.	QTY.	DESCRIPTION		PART NO.	QTY.		DESCRIPTION
						•	
Manuraccure	ed Aror:	Thermo King		50-0104	1		, Governor
Option 1		High Profile Breaker B	36.	51-0345	. 1		o <b>r</b>
obserous + 1	State of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state	might require breaker b		23-0129	1.		Breather
110-1469	1	Block Assembly, Cylind		23-0104			Breather
110-1409	<u> </u>			03-0107			Hose - Breather
•	A y	(Refer To Standard C Block For Components		49-0136*	1 .		Cover (Fuel Imp
94		Except Parts Marked		Fa Barre			ty In Cylinder 10
, 110-1000	. 15 . 	#Insert, Intake Valve S		40-0994	1		r, Air
, 110-1000	. 7	(Available, In .002,		03-0653			Air Cleaner
The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	V William	010 And .025 Oversi		50340004 h.	•1	100	Air Cleaner Hose
101-0387	1	#Plate, Bearing - Rear		40-0211			Inlet Sleeve
110-1037	***	Valve, Intake			1 f		, Carburetor Air
140-0893	1	Washer, Valve Spring R		603-0280	1		Carburetor Air II
104-0275	1	Crankshaft		9 45-0322 ⊆	1		ter To Sleeve
×515=0006		Key, Crankshaft Stub		.43-0322	L	Inle	r, Carburetor Air
112-0073	,	Piston And Pin (Availa	kle In   1	123-0293	1 .		reather Tube
112-0075		.005, .010, .020, .0	· ·	(50-0122		_	Governor
	•	.040 Oversizes)	. 1	148-0788			ator - Complete
112=0069	, ,	Pîn, Piston		140-0700	. <b>L</b>		ural Gas)
115-0089		Ring Set, Piston (Avai	lable   1	154-1029-	1 4		ld, Intake
113-0003		In .005, .010, .020,		134-1025	1		Carburetor Fuel Li
\$ W		And .040 Oversizes)		502-0156			Street - Carbare
105-0428	. 1	Camshaft		04-0130 8			Inlet (45°)
120-0839	1	Pump, Oil (Internal Pa	rts Not	154-1534	1		
T-0-0039	. "	Sold Separately)		154-1554 154-0360 - °	<u>,                                    </u>		Id, Exhaust
120-0161	1	Gasket Kit, Oil Pump	1		° . ∠ 1		, Exhaust
120-0439		Cup, Oil Pump Intake		134-1855 332-0191	1 L		g, Blower Bráss (#10'- 32'X
102-0562	1	Base, Oil		508-0017	$\frac{1}{2}$		g-Plat - Fibre
102-0563	1	Gasket, Oil Base	*s .	508-0017 508-0016:7	) ₁	'.	, Flat - Fibre
123-0092	**************************************	Gasket, Oil Fill Tube		508-0010 C	1 1		t, Rubber - Blowe
110-2474	1	Head, Cylinder - Right		700-0001	_ 1		ing $(1-1/16)$ Hole
110-2473	<u>.</u>	* Head, Cylinder - Left		134-0832	·		Air - Blower Ho
110-2473	12.	Gasket, Cylinder Head	1	134-0588	. 1		g; Cylinder Air =
105-0037	1	Gearcase Assembly (Inc		134-0366	· · · ·	Side	
- 190-00 <b>5</b> ,	1 199	Farts Marked **)	2	134-0599	· . 1		Wire - Cylinder A
150-0100	1	*Shaft, Idler Gear	-	104-0055	, k	Hous	
150-0101	1	*Gear, Idler		16041205	1		sembly, Breaker (1
150-0116	1	*Collar, Governor Idler		100-1203			ptional Breaker B
509-0113	1	**Seal, Oil - Front		4			Components, Excep
510-0019	1.	Bearing, Gearcase	*				s Marked o)
502-0150	1	Tee, Oil Line To Cylin	der	160-0638	1		Set, Broaker
302-0130 ·	*	Block		167-0331 167-0281		Plug	*
502-0019	ें ं 1 है	Elbow, Gil Line		107-0261	- <b>4</b> -7	Liling.,	phark
502-0019	1	Tee, Oil	· ,	arts Not	Furnish	ed By 0	nan
501-0004	1	Line, Oil Gauge		Starter Mo			
120-0102	an 1	Line, Oil - Governor		uel Pump			
309-0064	<b>₹</b> 1	Switch, Low Oil Pressu		lywheel			
502-0005	1	Elbow, Inverted Made	* . <b>4</b> .		oid And	High T	ension Leads
302-0003	. <del>.</del> .	Pressure Gauge (900)	•				
_193=0147	₈ . 1	Gauge, Oil Pressure			是数数	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	* * * * * * * * * * * * * * * * * * *						
			•		•		= *